Safety Data Sheet



SECTION 1: Product and company identification

Ultra Car Wash Concentrate Product name

Cleaner Use of the substance/mixture Product code 0118

Total Solutions Company P.O. Box 240014

Milwaukee, WI 53224 - USA

T 800-743-6417

athea.com

Contact:Technical Department Chemtrec: 1-800-424-9300

Emergency number

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

GHS-US classification

Met. Corr. 1 H290 Skin Corr. 1C H314 Eye Dam. 1 H318

2.2. Label elements

GHS US labelling

Hazard pictograms (GHS US)



GHS05 Danger

Signal word (GHS US) Hazard statements (GHS US)

Precautionary statements (GHS US)

May be corrosive to metals.

Causes severe skin burns and eye damage.

Causes serious eye damage. Keep only in original container.

Do not breathe mist, spray.

Wash thoroughly after handling

Wear eye protection, protective clothing, protective gloves. If swallowed: rinse mouth. Do NOT induce vomiting.

If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

If inhaled: Remove person to fresh air and keep comfortable for breathing.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and

easy to do. Continue rinsing.

Immediately call a doctor, a POISON CENTER.

Specific treatment (see First aid measures on this label).

Wash contaminated clothing before reuse. Absorb spillage to prevent material damage.

Store locked up.

Store in corrosive resistant container with a resistant inner liner.

Dispose of contents/container to comply with local/regional/national/international regulations..

2.3. Other hazards

No additional information available

2.4. Unknown acute toxicity (GHS US)

Not applicable.

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	GHS-US classification
Sodium Metasilicate	(CAS-No.) 6834-92-0	7-13	Met. Corr. 1, H290
			Skin Corr. 1B, H314
			STOT SE 3, H335

Issue date: 9/25/2023 Revision date: 09/05/2023 Version: 3.1 Z US GHS SDS 21 Page 1 of 6

Safety Data Sheet



Sodium Lauriminodipropionate	(CAS-No.) 14960-06-6	3-7	Skin Irrit. 2, H315 Eye Dam. 1, H318
Undeceth-5	(CAS-No.) 34398-01-1	3-7	Acute Tox. 4 (Oral), H302 Eye Dam. 1, H318

All hazardous chemicals, as determined by 29 CFR 1910.1200 have been listed. A specific chemical identity and/or percentage of composition has been withheld as a trade secret. Any concentration shown as a range is to protect confidentiality or is due to batch variation.

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general : If you feel unwell, seek medical advice (show the label where possible).

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing.

First-aid measures after skin contact : Take off immediately all contaminated clothing and wash it before reuse. Rinse skin with water/shower.

If skin irritation occurs: Get medical advice/attention.

First-aid measures after eye contact : Rinse immediately with plenty of water for 15 minutes. Remove contact lenses, if present and easy to

do. Continue rinsing. Immediately call a POISON CENTER/doctor.

First-aid measures after ingestion : Rinse mouth. Do NOT induce vomiting. Get medical advice/attention if you feel unwell.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects : Causes severe skin burns and eye damage.

Symptoms/effects after inhalation : May cause respiratory irritation. Symptoms/effects after skin contact : Caustic burns/corrosion of the skin.

Symptoms/effects after eye contact : Causes serious eye damage. Corrosion of the eye tissue. Permanent eye damage.

Symptoms/effects after ingestion : Harmful if swallowed. Burns to the gastric/intestinal mucosa.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : All extinguishing media allowed.

5.2. Special hazards arising from the substance or mixture

Reactivity : Upon combustion: CO and CO2 are formed.

5.3. Advice for firefighters

Firefighting instructions : Exercise caution when fighting any chemical fire. Use water spray or fog for cooling exposed

containers. Take account of environmentally hazardous firefighting water.

Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures : Isolate from fire, if possible, without unnecessary risk.

6.1.1. For non-emergency personnel

Protective equipment : Gloves. Protective goggles. Protective clothing.

Emergency procedures : Evacuate unnecessary personnel. Avoid contact with skin, eyes and clothing. Ventilate spillage area.

6.1.2. For emergency responders

Protective equipment : Equip cleanup crew with proper protection.

Emergency procedures : Stop leak if safe to do so. Stop release. Ventilate area.

6.2. Environmental precautions

Avoid release to the environment. Prevent soil and water pollution.

6.3. Methods and material for containment and cleaning up

For containment : Contain released product, collect/pump into suitable containers.

Methods for cleaning up : This material and its container must be disposed of in a safe way, and as per local legislation.

6.4. Reference to other sections

No additional information available

 Issue date: 9/25/2023
 Revision date: 09/05/2023
 Version: 3.1
 Z_US GHS SDS 21
 Page 2 of 6

Safety Data Sheet



SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Comply with the legal requirements. Do not handle until all safety precautions have been read and

understood. Use personal protective equipment as required. Do not eat, drink or smoke when using this

product. Do not get in eyes, on skin, or on clothing. Handle and open the container with care.

Hygiene measures : Wash thoroughly after handling. Wash contaminated clothing before reuse.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Comply with applicable regulations. Always add the product to the water for dilution/mixture. Never add

water to this product.

Storage conditions : Keep container closed when not in use. Store in original container.

Incompatible products : Strong acids.

Information on mixed storage : KEEP SUBSTANCE AWAY FROM: (strong) acids.

Storage area : Keep only in the original container. Store in a dry area. Store in a cool area.

Special rules on packaging : meet the legal requirements.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Undeceth-5 (34398-01-1)

Not applicable

Sodium Lauriminodipropionate (14960-06-6)

Not applicable

Sodium Metasilicate (6834-92-0)

Not applicable

Viscosity

8.2. Exposure controls

Personal protective equipment

: Use appropriate personal protective equipment when risk assessment indicates this is necessary. Gloves. Safety glasses. Protective clothing.







SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid

Appearance : Clear, light yellow liquid
Odour : mild,detergent odor
Odour threshold : No data available

pH : 11 – 14

Melting point No data available No data available Freezing point Boiling point No data available > 200 °F Closed Cup Flash point Relative evaporation rate (butylacetate=1) No data available Flammability No data available Explosive limits No data available Explosive properties No data available Oxidising properties No data available No data available Vapour pressure Relative density No data available Relative vapour density at 20°C No data available Density 1.08 g/ml Solubility Soluble in water. Partition coefficient n-octanol/water (Log Pow) No data available Partition coefficient n-octanol/water (Log Kow) No data available Auto-ignition temperature No data available Decomposition temperature No data available

Viscosity, kinematic : No data available Viscosity, dynamic : No data available

VOC content : < 0.3 %

Issue date: 9/25/2023 Revision date: 09/05/2023 Version: 3.1 Z US GHS SDS 21 Page 3 of 6

No data available

Safety Data Sheet



SECTION 10: Stability and reactivity

10.1. Reactivity

Upon combustion: CO and CO2 are formed.

10.2. Chemical stability

No additional information available

10.3. Possibility of hazardous reactions

Refer to section 10.1 on Reactivity.

10.4. Conditions to avoid

No additional information available

10.5. Incompatible materials

Strong bases.

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity : Not classified

Undeceth-5 (34398-01-1)		
LD50 oral rat	> 1400 mg/kg	
Skin corrosion/irritation	: Causes severe skin burns. pH: 11 – 14	
Serious eye damage/irritation	: Causes serious eye damage. pH: 11 – 14	

Respiratory or skin sensitisation : Not classified Germ cell mutagenicity : Not classified Carcinogenicity : Not classified Reproductive toxicity : Not classified STOT-single exposure : Not classified STOT-repeated exposure : Not classified

Aspiration hazard : Not classified

Symptoms/effects after inhalation : May cause respiratory irritation.
Symptoms/effects after skin contact : Caustic burns/corrosion of the skin.

Symptoms/effects after eye contact : Causes serious eye damage. Corrosion of the eye tissue. Permanent eye damage.

Symptoms/effects after ingestion : Harmful if swallowed. Burns to the gastric/intestinal mucosa.

SECTION 12: Ecological information

12.1. Toxicity

Undeceth-5 (34398-01-1)		
LC50 - Fish [1]	< 10 mg/l	
EC50 - Crustacea [1]	< 10 mg/l	
ErC50 algae	< 10 mg/l	

12.2. Persistence and degradability

No additional information available

12.3. Bioaccumulative potential

No additional information available

Issue date: 9/25/2023 Revision date: 09/05/2023 Version: 3.1 Z_US GHS SDS 21 Page 4 of 6

Safety Data Sheet



SECTION 13: Disposal considerations

13.1. Waste treatment methods

Product/Packaging disposal

recommendations

: Dispose in a safe manner in accordance with local/national regulations.

SECTION 14: Transport information

Department of Transportation (DOT)

Transport document description (DOT) : UN1760 Corrosive liquids, n.o.s. (Disodium Metasilicate), 8, III

UN-No.(DOT) UN1760

Proper Shipping Name (DOT) Corrosive liquids, n.o.s.

Class (DOT) 8 - Class 8 - Corrosive material 49 CFR 173.136

: 154

: 5 L

: A

: 154

Hazard labels (DOT) : 8 - Corrosive

: IB3,T7,TP1,TP28

Packing group (DOT) : III - Minor Danger

DOT Packaging Non Bulk (49 CFR 173.xxx) 203 241

DOT Packaging Bulk (49 CFR 173.xxx) G - Identifies PSN requiring a technical name

DOT Symbols

DOT Special Provisions (49 CFR 172.102)

DOT Packaging Exceptions (49 CFR

173.xxx)

DOT Quantity Limitations Passenger

aircraft/rail (49 CFR 173.27)

DOT Quantity Limitations Cargo aircraft : 60 L

only (49 CFR 175.75)

DOT Vessel Stowage Location

DOT Vessel Stowage Other : 40 - Stow "clear of living quarters"

Additional information

Emergency Response Guide (ERG)

Number

When transported by ground, this product may be eligible to be shipped as a Limited Quantity utilizing Other information

the exception found at 49 CFR 173.154. If any alteration of packaging, product, or mode of transportation is further intended, different shipping names and labeling may be required.

ADR

No additional information available

Transport by sea

No additional information available

Air transport

No additional information available

SECTION 15: Regulatory information

All components of this product are present and listed as Active on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory

This product or mixture does not contain a toxic chemical or chemicals in excess of the applicable de minimis concentration as specified in 40 CFR §372.38(a) subject to the reporting requirements of section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372

🔼 WARNING

This product can expose you to Ethylene oxide, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

SECTION 16: Other information

Training advice : Normal use of this product shall imply use in accordance with the instructions on the packaging.

Issue date: 9/25/2023 Revision date: 09/05/2023 Version: 3.1 Z US GHS SDS 21 Page 5 of 6

Safety Data Sheet


NFPA health hazard : 2 - Materials that, under emergency conditions, can cause temporary incapacitation or residual

injury.

NFPA fire hazard : 0 - Materials that will not burn under typical fire conditions, including intrinsically noncombustible

materials such as concrete, stone, and sand.

NFPA reactivity : 0 - Material that in themselves are normally stable, even under fire conditions.



Prepared by: Technical Department

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product. No warranty is expressed or implied regarding the accuracy of this data or the results obtained from the use thereof. Our company assumes no responsibility for personal injury or property damage to the vendee, users or third parties caused by the material. Such vendees or users assume all risks associated with the use of this material.

Issue date: 9/25/2023 Revision date: 09/05/2023 Version: 3.1 Z_US GHS SDS 21 Page 6 of 6