Safety Data Sheet



Product name	: Heavy Duty Bowl Cleaner			
Use of the substance/mixture	: Cleaner			
Product code	: 0140-hdb			
Company	: Total Solutions P.O. Box 240014			
	Milwaukee, WI 53224 - USA			
	T 800-743-6417			
	athea.com Contact:Technical Department			
Emergency number	: Chemtrec: 1-800-424-9300			
SECTION 2: Hazards identified				
2.1. Classification of the substance				
GHS US classification				
Met. Corr. 1 H290				
Skin Corr. 1B H314				
STOT SE 3 H335				
2.2. Label elements				
GHS US labeling Hazard pictograms (GHS US)				
Tiazaru pictograms (GHS 03)				
	GHS05 GHS07			
Signal word (GHS US)	: Danger			
Hazard statements (GHS US)	: May be corrosive to metals			
	Causes severe skin burns and eye damage May cause respiratory irritation			
Precautionary statements (GHS US)	: Keep only in original container.			
(	Do not breathe mist, spray.			
	Avoid breathing mist, spray.			
	Wash thoroughly after handling			
	Use only outdoors or in a well-ventilated area. Wear eye protection, protective clothing, protective gloves.			
	If swallowed: rinse mouth. Do NOT induce vomiting.			
	If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.			
	If inhaled: Remove person to fresh air and keep comfortable for breathing.			
	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and			
	easy to do. Continue rinsing. Immediately call a doctor, a POISON CENTER.			
	Call a doctor, a POISON CENTER if you feel unwell.			
	Specific treatment (see First aid measures on this label).			
	Wash contaminated clothing before reuse.			
	Absorb spillage to prevent material-damage.			
	Store in a well-ventilated place. Keep container tightly closed. Store locked up.			
	Store in corrosive resistant container with a resistant inner liner.			
	Dispose of contents/container to comply with local/regional/national/international regulations.			

### 2.4. Unknown acute toxicity (GHS US)

Not applicable

### **SECTION 3: Composition/Information on ingredients**

#### 3.1. Substances

Not applicable

3.2. Mixtures

Safety Data Sheet



Name	Product identifier	%	GHS US classification
hydrogen chloride %	(CAS-No.) 7647-01-0	10 - 30	Met. Corr. 1, H290
			Acute Tox. 4 (Oral), H302
			Acute Tox. 4 (Inhalation:dust,mist), H332
			Skin Corr. 1B, H314
			STOT SE 3, H335
Linear Alcohol Ethoxylate	(CAS-No.) 34398-01-1	1.0 - 5.0	Acute Tox. 4 (Oral), H302
			Eye Dam. 1, H318

All hazardous chemicals, as determined by 29 CFR 1910.1200 have been listed. A specific chemical identity and/or percentage of composition has been withheld as a trade secret. Any concentration shown as a range is to protect confidentiality or is due to batch variation.

<b>SECTION 4: First aid measures</b>	
4.1. Description of first aid measures	
First-aid measures general	: If you feel unwell, seek medical advice (show the label where possible).
First-aid measures after inhalation	: Remove victim to fresh air and keep at rest in a position comfortable for breathing. If experiencing respiratory symptoms: Call a POISON CENTER or doctor/physician.
First-aid measures after skin contact	: Take off immediately all contaminated clothing and wash it before reuse. Rinse skin with water/shower. If skin irritation occurs: Get medical advice/attention.
First-aid measures after eye contact	: Remove contact lenses, if present and easy to do. Continue rinsing. Rinse cautiously with water for several minutes. Immediately call a poison center or doctor/physician.
First-aid measures after ingestion	: Fatal if swallowed. Immediately call a poison center or doctor/physician. Rinse mouth. Do NOT induce vomiting. Drink plenty of water.
4.2. Most important symptoms and ef	fects, both acute and delayed
Symptoms/effects	: Causes severe skin burns and eye damage. May cause respiratory irritation.
Symptoms/effects after inhalation	: May cause respiratory irritation.
Symptoms/effects after skin contact	: Caustic burns/corrosion of the skin.
Symptoms/effects after eye contact	: Causes serious eye damage. Corrosion of the eye tissue. Permanent eye damage.
Symptoms/effects after ingestion	: Burns to the gastric/intestinal mucosa.

### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measurements	sures
5.1. Extinguishing media	
Suitable extinguishing media	: All extinguishing media allowed.
5.2. Special hazards arising from the	ne substance or mixture
Reactivity	: Thermal decomposition generates : Carbon monoxide. Carbon dioxide. HCI. Chlorine.
5.3. Advice for firefighters	
Firefighting instructions	<ul> <li>Exercise caution when fighting any chemical fire. Use water moderately and if possible collect or contain it. Use water spray or fog for cooling exposed containers.</li> </ul>
Protection during firefighting	: Do not enter fire area without proper protective equipment, including respiratory protection.

SECTION 6: Accidental release measures			
6.1. Personal precautions, protective e	equipment and emergency procedures		
General measures	: Isolate from fire, if possible, without unnecessary risk.		
6.1.1. For non-emergency personnel Protective equipment Emergency procedures	<ul> <li>Gloves. Protective goggles. Face shield. Protective clothing.</li> <li>Evacuate unnecessary personnel. Avoid contact with skin, eyes and clothing. Ventilate spillage area.</li> </ul>		
<b>6.1.2. For emergency responders</b> Protective equipment Emergency procedures	<ul><li>Equip cleanup crew with proper protection.</li><li>Stop leak if safe to do so. Stop release. Ventilate area.</li></ul>		
6.2 Environmental precautions			

6.2. Environmental precautions

Avoid release to the environment. Prevent soil and water pollution.

Safety Data Sheet

## ΓΟΤΑ **SOLUTIONS**<sup>TM</sup>

### 6.3. Methods and material for containment and cleaning up

For containment

- Contain released product, pump into suitable containers. :
- Methods for cleaning up
- This material and its container must be disposed of in a safe way, and as per local legislation. :

### 6.4. Reference to other sections

No additional information available

SECTION 7: Handling and stora	ge
7.1. Precautions for safe handling	
Additional hazards when processed Precautions for safe handling	<ul> <li>Do not spray to create mists. Do not heat to create vapors.</li> <li>Comply with the legal requirements. Do not handle until all safety precautions have been read and understood. Use personal protective equipment as required. Do not eat, drink or smoke when using this product. Do not get in eyes, on skin, or on clothing.</li> </ul>
Hygiene measures 7.2. Conditions for safe storage, inclu	: Wash thoroughly after handling. Wash contaminated clothing before reuse.
Technical measures Storage conditions Incompatible products Incompatible materials Storage area Special rules on packaging	<ul> <li>Comply with applicable regulations.</li> <li>Keep container closed when not in use. Store in original container.</li> <li>metals and metal salts. alkaline.</li> <li>chlorine-based bleaching agents. ammonia.</li> <li>Keep only in the original container. Store in a dry area. Store in a cool area.</li> <li>meet the legal requirements.</li> </ul>

### **SECTION 8: Exposure controls/personal protection**

### 8.1. Control parameters

hydrogen chloride % (7647-01-0)		
ACGIH	ACGIH OEL Ceiling [ppm] 2 ppm (Hydrogen chloride; USA; Momentary value; TLV -	
		Adopted Value)

### Linear Alcohol Ethoxylate (34398-01-1)

Not applicable

#### 8.2. Exposure controls

Appropriate engineering controls

- Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any : potential exposure.
- Personal protective equipment
- Gloves. Safety glasses. Protective clothing. Use appropriate personal protective equipment when risk assessment indicates this is necessary.



SECTION 9: Physical and chemical properties			
9.1. Information on basic physical and chemic	cal properties		
Physical state Appearance Odor Odor threshold pH Melting point Freezing point Boiling point Flash point Relative evaporation rate (butyl acetate=1) Flammability (solid, gas) Explosion limits Explosive properties Oxidizing properties Vapor pressure Relative density	<ul> <li>Liquid</li> <li>clear, Green, Liquid</li> <li>Acidic.</li> <li>No data available</li> <li>1</li> <li>No data available</li> <li>No data available</li> <li>No data available</li> <li>&gt; 200 °F Closed cup</li> <li>No data available</li> </ul>		
Relative vapor density at 20 °C	: No data available		

Safety Data Sheet



Density Solubility Partition coefficient n-octanol/water (Log Pow) Partition coefficient n-octanol/water (Log Kow) Auto-ignition temperature Decomposition temperature Viscosity Viscosity kinematic	<ul> <li>1.1 g/ml</li> <li>Soluble in water.</li> <li>No data available</li> </ul>
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
VOC content	: < 0.5 %

### **SECTION 10: Stability and reactivity**

### 10.1. Reactivity

Thermal decomposition generates : Carbon monoxide. Carbon dioxide. HCl. Chlorine.

#### 10.2. Chemical stability

No additional information available

### 10.3. Possibility of hazardous reactions

Refer to section 10.1 on Reactivity.

#### 10.4. Conditions to avoid

No additional information available

#### 10.5. Incompatible materials

May be corrosive to metals. metals.

### **10.6.** Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

<b>SECTION 11: Toxicologica</b>	al information				
11.1. Information on toxicologic	al effects				
Acute toxicity	: Not classified	: Not classified			
hydrogen chloride % (7647-0	1-0)				
LD50 oral rat	700 mg/kg				
LC50 Inhalation - Rat	1.68 mg/l				
ATE CLP (oral)	700 mg/kg body v	veight			
ATE CLP (vapors)	1.68 mg/l/4h				
ATE CLP (dust, mist)	1.68 mg/l/4h				
Linear Alcohol Ethoxylate (343	98-01-1)				
LD50 oral rat	> 1400 mg/kg				
Skin corrosion/irritation	: Causes severe s pH: 1	kin burns.			
Serious eye damage/irritation	: Not classified. pH: 1				
Respiratory or skin sensitization	: Not classified				
Germ cell mutagenicity	: Not classified				
Carcinogenicity	: Not classified	: Not classified			
hydrogen chloride % (7647-0	1-0)				
IARC group	3 - Not classifiable	e			
Reproductive toxicity	: Not classified				
STOT-single exposure	: May cause respir	atory irritation.			
		,			
STOT-repeated exposure	: Not classified				
Aspiration hazard	: Not classified				
Symptoms/effects after inhalatior	n : May cause respir	atory irritation.			
Symptoms/effects after skin conta	act : Caustic burns/co	rrosion of the skin.			
Issue date: 8/3/2021	Revision date: 08/02/2021	Version: 1.1	US GHS SDS 21	Page 4 of 6	

# Heavy Duty Bowl Cleaner Safety Data Sheet



Symptoms/effects after eye contact Symptoms/effects after ingestion Likely routes of exposure	<ul> <li>Causes serious eye damage. Corrosion of the eye tissue. Permanent eye damage.</li> <li>Burns to the gastric/intestinal mucosa.</li> <li>Skin and eye contact</li> </ul>

SECTION 12: Ecological info	rmation	
12.1. Toxicity		
Linear Alcohol Ethoxylate (34398-01	1)	
LC50 - Fish [1]	< 10 mg/l	
EC50 - Crustacea [1]	< 10 mg/l	
ErC50 algae	< 10 mg/l	
	· · · · · · · · · · · · · · · · · · ·	
12.2. Persistence and degradability		

hydrogen chloride % (7647-01-0)	
Persistence and degradability	No (test)data on mobility of the components available.

12.3. Bioaccumulative potential		
hydrogen chloride % (7647-01-0)		
Bioaccumulative potential	No test data of component(s) available.	

SECTION 13: Disposal considerations		
13.1. Waste treatment methods		
Product/Packaging disposal recommendations	: Dispose in a safe manner in accordance with local/national regulations.	

SECTION 14: Transport information		
Department of Transportation (DOT)		
Transport document description (DOT) UN-No.(DOT) Proper Shipping Name (DOT) Class (DOT) Hazard labels (DOT)	<ul> <li>UN1789 Hydrochloric acid (solution), 8, II</li> <li>UN1789</li> <li>Hydrochloric acid</li> <li>8 - Class 8 - Corrosive material 49 CFR 173.136</li> <li>8 - Corrosive</li> </ul>	
Packing group (DOT) DOT Packaging Non Bulk (49 CFR 173.xxx) DOT Packaging Bulk (49 CFR 173.xxx) DOT Special Provisions (49 CFR 172.102) DOT Packaging Exceptions (49 CFR 173.xxx) DOT Quantity Limitations Passenger aircraft/rail (49 CFR 173.27) DOT Quantity Limitations Cargo aircraft only (49 CFR 175.75) DOT Vessel Stowage Location	<ul> <li>II - Medium Danger</li> <li>202</li> <li>242</li> <li>A3,A6,B3,B15,IB2,N41,T8,TP2,TP12</li> <li>154</li> <li>1 L</li> <li>30 L</li> <li>C</li> </ul>	
Additional information		
Other information	: No supplementary information available.	
ADR		
No additional information available		
Transport by sea		
No additional information available		
Air transport		
No additional information available		

### Heavy Duty Bowl Cleaner Safety Data Sheet

### **SECTION 15: Regulatory information**

All components of this product are listed as Active, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory

Chemical(s) subject to the reporting requirements of Section 313 or Title III of the Superfund Amendments and Reauthorization Act (SARA) of 1986 and 40 CFR Part 372.

hydrogen chloride %	7647-01-0	10 - 30%
ethylene oxide	75-21-8	<0.001%
hydrogen chloride %	(7647-01-0)	CERCLA RQ5000 lb
ethylene oxide	(75-21-8)	CERCLA RQ10 lb
	1	
hydrogen chloride %	(7647-01-0)	SARA Section 302 Threshold Planning Quantity (TPQ)500 lb
ethylene oxide	(75-21-8)	SARA Section 302 Threshold Planning Quantity (TPQ)1000
		lb
Linear Alcohol Ethoxylate	(34398-01-1)	SARA Section 311/312 Hazard ClassesImmediate (acute)
		health hazard

### 

This product can expose you to ethylene oxide, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

ΟΤΑ

**SOLUTIONS** 

SECTION 16: Other information						
Training advice	: Normal use of this product shall imply use in accordance with the instructions on the packaging.					
NFPA health hazard NFPA fire hazard	<ul> <li>3 - Materials that, under emergency conditions, can cause serious or permanent injury.</li> <li>0 - Materials that will not burn under typical fire conditions, including intrinsically noncombustible materials such as concrete, stone, and sand.</li> </ul>					
NFPA reactivity	: 0 - Material that in themselves are normally stable, even under fire conditions.					

#### Prepared by: Technical Department

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product. No warranty is expressed or implied regarding the accuracy of this data or the results obtained from the use thereof. Our company assumes no responsibility for personal injury or property damage to the vendee, users or third parties caused by the material. Such vendees or users assume all risks associated with the use of this material.