Safety Data Sheet



SECTION 1:	Product and	company	identification

Product name	: Dissolve-All
Use of the substance/mixture	: Degreasing agent
Product code	: 0156
Company	: Total Solutions P.O. Box 240014 Milwaukee, WI 53224 - USA T (414) 354-6417
Emergency number	: Chemtrec: (800) 424-9300

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

GHS-US classification

 Flam. Liq. 3
 H226

 Skin Irrit. 2
 H315

 Eye Irrit. 2B
 H320

 Muta. 1B
 H340

 Carc. 1B
 H350

 STOT SE 3
 H335

 STOT SE 3
 H336

 Asp. Tox. 1
 H304

2.2. Label elements

GHS-US I	abeling
----------	---------

Hazard pictograms (GHS-US)

	GHS02 GHS07 GHS08
Signal word (GHS-US)	: Danger
Hazard statements (GHS-US)	 Flammable liquid and vapor May be fatal if swallowed and enters airways Causes skin irritation Causes eye irritation May cause respiratory irritation May cause drowsiness or dizziness May cause genetic defects May cause cancer
Precautionary statements (GHS-US)	 Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Keep away from heat, open flames, sparks No smoking. Keep container tightly closed. Ground/Bond container and receiving equipment Use explosion-proof electrical, lighting, ventilating equipment Use only non-sparking tools. Take precautionary measures against static discharge. Avoid breathing mist, spray, fume. Wash thoroughly after handling Use only outdoors or in a well-ventilated area. Wear eye protection, protective clothing, protective gloves. If swallowed: Immediately call a doctor, a POISON CENTER If on skin: Wash with plenty of scap and water If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower If inhaled: Remove person to fresh air and keep comfortable for breathing If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing If exposed or concerned: Get medical advice/attention. Call a doctor, a POISON CENTER if you feel unwell Specific treatment (see First aid measures on this label) Do NOT induce vomiting. If skin irritation occurs: Get medical advice/attention. If eye irritation persists: Get medical advice/attention. If eye irritation occurs: Get medical advice/attention. If eye irritation persists: Get medical advice/attention. If eye irritation occurs Get medical advice/attention. If eye irritation occurs Get medical advice/attention. If eye irritation persists



Store in a well-ventilated place. Keep container tightly closed. Store in a well-ventilated place. Keep cool. Store locked up. Dispose of contents/container to comply with local/regional/national/international regulations

2.3. Other hazards

No additional information available

2.4. Unknown acute toxicity (GHS US)

Not applicable

SECTION 3: Composition/Information on ingredients

3.1. Substances

Not applicable

Full text of H-phrases: see section 16

Name	Product identifier	%	GHS-US classification
hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, < 2% aromatics	(CAS-No.) 64742-47-8	55-70	Flam. Liq. 4, H227 Asp. Tox. 1, H304
SOLVESSO 100	(CAS-No.) 64742-95-6	15-35	Flam. Liq. 3, H226 Muta. 1B, H340 Carc. 1B, H350 STOT SE 3, H336 STOT SE 3, H335 Asp. Tox. 1, H304
Trimethylbenzene	(CAS-No.) 25551-13-7	10-20	Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Dermal), H312 Skin Irrit. 2, H315 Eye Irrit. 2B, H320 Asp. Tox. 1, H304
1,2,4-trimethylbenzene	(CAS-No.) 95-63-6	7-13	Flam. Liq. 3, H226 Acute Tox. 4 (Inhalation), H332 Skin Irrit. 2, H315 STOT SE 3, H335 Aquatic Chronic 2, H411
cumene	(CAS-No.) 98-82-8	1.6-3.2	Flam. Liq. 3, H226 Carc. 2, H351 STOT SE 3, H335 Asp. Tox. 1, H304
xylene	(CAS-No.) 1330-20-7	0.1-2	Flam. Liq. 3, H226 Acute Tox. 4 (Dermal), H312 Acute Tox. 4 (Inhalation), H332 Skin Irrit. 2, H315

A specific chemical identity and/or percentage of composition has been withheld as a trade secret. Any concentration shown as a range is to protect confidentiality or is due to batch variation.

SECTION 4: First aid measures	
4.1. Description of first aid measures	
First-aid measures general	: If you feel unwell, seek medical advice (show the label where possible). IF exposed or concerned: Get medical advice/attention.
First-aid measures after inhalation	 If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER or doctor/physician if you feel unwell.
First-aid measures after skin contact	: Take off immediately all contaminated clothing and wash it before reuse. Wash with plenty of soap and water. If skin irritation or rash occurs: Get medical advice/attention.
First-aid measures after eye contact	: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
First-aid measures after ingestion	: Rinse mouth with water. Do NOT induce vomiting. Immediately call a poison center or doctor/physician.
4.2. Most important symptoms and e	fects, both acute and delayed
Symptoms/effects	: If you feel unwell, seek medical advice. May be fatal if swallowed and enters airways. Causes skin irritation. Causes eye irritation. May cause drowsiness or dizziness. May cause respiratory irritation. May cause cancer. May cause genetic defects.
Symptoms/effects after inhalation	 May cause drowsiness or dizziness. Irritation of the respiratory tract. Headache. Nausea. Central nervous system depression. Shortness of breath. Unconsciousness.
Symptoms/effects after skin contact	: Causes skin irritation. Repeated exposure may cause skin dryness or cracking.
Symptoms/effects after eye contact	: Causes eye irritation.
Symptoms/effects after ingestion	: May be fatal if swallowed and enters airways. Risk of aspiration pneumonia.

4.3. Indication of any immediate medical attention and special treatment needed No additional information available

Safety Data Sheet



alory Bala eneol		0010110
SECTION 5: Firefighting me	asures	
5.1. Extinguishing media		
Suitable extinguishing media	: Dry chemical powder. Carbon dioxide. Alcohol-resistant foam.	
Unsuitable extinguishing media	: Water.	
5.2. Special hazards arising fron	the substance or mixture	
Reactivity	: Upon combustion: CO and CO2 are formed.	
5.3. Advice for firefighters		
Firefighting instructions	 Exercise caution when fighting any chemical fire. In case of fir remotely due to the risk of explosion. Use water spray or fog for Take account of environmentally hazardous firefighting water. 	
Protection during firefighting	: Do not enter fire area without proper protective equipment, inc	luding respiratory protection

SECTION 6: Accidental release	e measures
6.1. Personal precautions, protective	e equipment and emergency procedures
General measures	: Remove ignition sources. Use special care to avoid static electric charges.
6.1.1. For non-emergency personnel	
Protective equipment	: Protective goggles. Gloves. Protective clothing.
Emergency procedures	: Evacuate unnecessary personnel. No naked flames or sparks.
6.1.2. For emergency responders	
Protective equipment	: Equip cleanup crew with proper protection.
Emergency procedures	: Stop leak if safe to do so. Stop release. Ventilate area.
6.2. Environmental precautions	
Avoid release to the environment. Preven	nt entry to sewers and public waters.
6.3. Methods and material for contai	
For containment	: Contain released product, pump into suitable containers.
Methods for cleaning up	: This material and its container must be disposed of in a safe way, and as per local legislation. Take up liquid spill into inert absorbent material, e.g.: sand/earth. Clean contaminated surfaces with a soap solution.
6.4. Reference to other sections	

No additional information available

SECTION 7. Handling and store	
SECTION 7: Handling and stora	ge
7.1. Precautions for safe handling	
Precautions for safe handling	: Comply with the legal requirements. Do not handle until all safety precautions have been read and understood. Do not breathe vapors. Use personal protective equipment as required. Do not eat, drink or smoke when using this product. Do not get in eyes, on skin, or on clothing. Handle and open the container with care. Keep away from sources of ignition - No smoking. Take precautions against electrostatic charges. Obtain special instructions before use. Remove contaminated clothing immediately.
Hygiene measures	: Wash thoroughly after handling. Wash contaminated clothing before reuse.
7.2. Conditions for safe storage, inclu	ding any incompatibilities
Technical measures	: Comply with applicable regulations. Proper grounding procedures to avoid static electricity should be followed.
Storage conditions	: Keep container tightly closed. Keep only in the original container in a cool, well ventilated place away from: sparks, open flames, excessive heat.
Incompatible products	: Strong acids. Oxidizing agents.
Incompatible materials	: Sources of ignition. Heat sources.
Storage area	: Store away from heat. Store in a cool area. Store in a dry area. Store in a well-ventilated place.
Special rules on packaging	: Keep only in original container. meet the legal requirements.

SECTION 8: Exposure controls/personal protection

ACGIH TWA (ppm)	100 ppm	
ACGIH STEL (ppm)	150 ppm	
Remark (ACGIH)	URT & eye irr; CNS impair	
OSHA PEL (TWA) (mg/m ³)	435 mg/m ³	
	ACGIH TWA (ppm) ACGIH STEL (ppm) Remark (ACGIH)	ACGIH TWA (ppm) 100 ppm ACGIH STEL (ppm) 150 ppm Remark (ACGIH) URT & eye irr; CNS impair

Safety Data Sheet



xylene (1330-20-7)		
OSHA	OSHA PEL (TWA) (ppm)	100 ppm
cumene (98-82-8)		
ACGIH	ACGIH TWA (ppm)	0.1 ppm
ACGIH	Remark (ACGIH)	Lung cancer; liver and lung dam; A2 (Suspected Human Carcinogen: Human data are accepted as adequate in quality but are conflicting or insufficient to classify the agent as a confirmed human carcinogen; OR, the agent is carcinogenic in experimental animals at dose(s), by route(s) of exposure, at site(s), of histologic type(s), or by mechanism(s) considered relevant to worker exposure. The A2 is used primarily when there is limited evidence or carcinogenicity in humans and sufficient evidence of carcinogenicity in experimental animals with relevance to humans)
OSHA	OSHA PEL (TWA) (mg/m ³)	245 mg/m ³
OSHA	OSHA PEL (TWA) (ppm)	50 ppm
hydrocarbons, C11	I-C14, n-alkanes, isoalkanes, cyclics, < 2% aromati	cs (64742-47-8)
Not applicable		
SOLVESSO 100 (64	4742-95-6)	
Not applicable		
Trimethylbenzene	(25551-13-7)	
ACGIH	ACGIH TWA (ppm)	25 ppm
ACGIH	Remark (ACGIH)	CNS impair; asthma; hematologic eff
1,2,4-trimethylbenz	zene (95-63-6)	
ACGIH	ACGIH TWA (ppm)	25 ppm

Personal protective equipment

SECTION Q. Phy

: Use appropriate personal protective equipment when risk assessment indicates this is necessary. Gloves. Safety glasses. Protective goggles. Protective clothing.




9.1. Information on basic physical and ch	emical properties
Physical state	: Liquid
Appearance	: Clear to cloudy. Colorless liquid.
Odor	: Aromatic odor
Odor threshold	: No data available
рН	: No data available
Melting point	: No data available
Freezing point	: No data available
Boiling point	: No data available
Flash point	: 108 °F
Relative evaporation rate (butyl acetate=1)	: No data available
Flammability (solid, gas)	: No data available
Explosion limits	: No data available
Explosive properties	: No data available
Oxidizing properties	: No data available
Vapor pressure	: No data available
Relative density	: No data available
Relative vapor density at 20 °C	: No data available
Specific gravity / density	: 0.8 g/ml

Safety Data Sheet

Solubility	: Emulsifies in water.
Log Pow	: No data available
Log Kow	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity	: No data available
Viscosity, kinematic	: < 20.5 cSt
Viscosity, dynamic	: No data available
VOC content	: > 90 %

SECTION 10: Stability and reactivity



ATE CLP (dermal)	3440 mg/kg body weight
ATE CLP (gases)	4500 ppmV/4h
ATE CLP (vapors)	11 mg/l/4h
ATE CLP (dust, mist)	1.5 mg/l/4h
Skin corrosion/irritation	: Causes skin irritation.
Serious eye damage/irritation	: Causes eye irritation.
Respiratory or skin sensitization	: Not classified
Germ cell mutagenicity	: May cause genetic defects.
Carcinogenicity	: May cause cancer.

6000 mg/kg body weight

LC50 inhalation rat (mg/l)

ATE CLP (oral)

10.2 mg/l air (Other, 4 h, Rat, Male/female, Read-across)



Safety Data Sheet



kylene (1330-20-7)		
IARC group	3 - Not classifiable	
cumene (98-82-8)		
IARC group	2B - Possibly carcinogenic to humans	
Reproductive toxicity	: Not classified	
Specific target organ toxicity – single exposure	: May cause respiratory irritation. May cause drowsiness or dizziness.	
Specific target organ toxicity – repeated exposure	: Not classified	
Aspiration hazard	: May be fatal if swallowed and enters airways.	
Symptoms/effects after inhalation	: May cause drowsiness or dizziness. Irritation of the respiratory tract. Headache. Nausea. Central nervous system depression. Shortness of breath. Unconsciousness.	
Symptoms/effects after skin contact	: Causes skin irritation. Repeated exposure may cause skin dryness or cracking.	
Symptoms/effects after eye contact	: Causes eye irritation.	
Symptoms/effects after ingestion	: May be fatal if swallowed and enters airways. Risk of aspiration pneumonia.	
Likely routes of exposure	: Skin and eye contact;Inhalation	

SECTION 12: Ecological information

40		The sector fraction of
12	.1.	Toxicity

hydrocarbons, C11-C14, n-alkanes, isoalk	anes, cyclics, < 2% aromatics (64742-47-8)
LC50 fish 1	> 100 mg/l (Pisces)
EC50 Daphnia 1	> 100 mg/l (Invertebrata)
SOLVESSO 100 (64742-95-6)	
LC50 fish 1	18 mg/l (Pisces)
EC50 Daphnia 1	21 mg/l (Daphnia sp.)
1,2,4-trimethylbenzene (95-63-6)	
LC50 fish 1	7.72 mg/l (96 h, Pimephales promelas, Flow-through system, Fresh water, Experimental value)
12.2. Persistence and degradability	
hydrocarbons, C11-C14, n-alkanes, isoalk	anes, cyclics, < 2% aromatics (64742-47-8)
Persistence and degradability	Readily biodegradable in water.
SOLVESSO 100 (64742-95-6)	
Persistence and degradability	Readily biodegradable in water.
1,2,4-trimethylbenzene (95-63-6)	
Persistence and degradability	Biodegradable in the soil. Not readily biodegradable in water.
Chemical oxygen demand (COD)	0.44 g O₂/g substance
12.3. Bioaccumulative potential	
hydrocarbons, C11-C14, n-alkanes, isoalk	anes, cyclics, < 2% aromatics (64742-47-8)
Log Pow	6 - 8.2
Bioaccumulative potential	High potential for bioaccumulation (Log Kow > 5).
SOLVESSO 100 (64742-95-6)	
Log Pow	>3

	LOG POW	> 3
1,2,4-trimethylbenzene (95-63-6)		
	BCF fish 1	31 - 275 (Other, 8 week(s), Cyprinus carpio, Weight of evidence)
	Log Pow	3.63 - 4.09 (Experimental value)
	Bioaccumulative potential	Low potential for bioaccumulation (BCF < 500).

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Product/Packaging disposal recommendations

: Dispose in a safe manner in accordance with local/national regulations.

SECTION 14: Transport information

Department of Transportation (DOT)

Safety Data Sheet

Additional information

Other information

: When transported by ground in non-bulk containers, this product utilizes the exception found under 49 CFR 173.150. If any alteration of packaging, product, or mode of transportation is further intended, different shipping names and labeling may be required.

	intended, different shipping names and labeling may be r	
ADR		
No additional information available		
Transport by sea		
No additional information available		
Air transport No additional information available		
SECTION 15: Regulatory information	on	
	cluded from listing, on the United States Environmental Pro-	ptection Agency Toxic Substances
Control Act (TSCA) inventory		
Chemical(s) subject to the reporting requireme	ents of Section 313 or Title III of the Superfund Amendment	s and Reauthorization Act (SARA) of
1986 and 40 CFR Part 372.		
xylene	CAS-No. 1330-20-7	0.1-2%
cumene	CAS-No. 98-82-8	1.6-3.2%
1,2,4-trimethylbenzene	CAS-No. 95-63-6	7-13%
xylene (1330-20-7)		
Subject to reporting requirements of United Sta	ates SARA Section 313	
CERCLA RQ	100 lb	
cumene (98-82-8)		
Subject to reporting requirements of United Sta	ates SARA Section 313	
CERCLA RQ	5000 lb	
CERCLA RQ 1,2,4-trimethylbenzene (95-63-6)	5000 lb	
1,2,4-trimethylbenzene (95-63-6)		
1,2,4-trimethylbenzene (95-63-6)		
1,2,4-trimethylbenzene (95-63-6)		
1,2,4-trimethylbenzene (95-63-6) Subject to reporting requirements of United Sta		

This product can expose you to benzene, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

SECTION 16: Other information

Training advice

: Normal use of this product shall imply use in accordance with the instructions on the packaging.

Full text of H-phrases:


H226	Flammable liquid and vapor
H227	Combustible liquid
H302	Harmful if swallowed
H304	May be fatal if swallowed and enters airways
H312	Harmful in contact with skin
H315	Causes skin irritation
H320	Causes eye irritation
H332	Harmful if inhaled
H335	May cause respiratory irritation
H336	May cause drowsiness or dizziness
H340	May cause genetic defects
H350	May cause cancer
H351	Suspected of causing cancer
H411	Toxic to aquatic life with long lasting effects

ONS





NFPA health hazard	:	3 - Materials that, under emergency conditions, can cause serious or permanent injury.
NFPA fire hazard	:	2 - Materials that must be moderately heated or exposed to relatively high ambient temperatures before ignition can occur.
NFPA reactivity	:	0 - Material that in themselves are normally stable, even under fire conditions.



Prepared by: Technical Department

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product. No warranty is expressed or implied regarding the accuracy of this data or the results obtained from the use thereof. Our company assumes no responsibility for personal injury or property damage to the vendee, users or third parties caused by the material. Such vendees or users assume all risks associated with the use of this material.