NFPA® RATINGS

Health: 1; Flammability: 0; Reactivity: 0

CONTAINS/CAS NUMBER:

Potassium Acetate/127-08-2; Water/7732-18-5; Ethanolamine/141-43-5; Tripotassium Phosphate/7778-53-2; Tetra Hydro Tolytriazole/1307867-84-0; Propylene Glycol/57-55-6





WINTER PRODUCTS

ICE ERASE

Advanced Liquid Ice Melt Formula

- APPROVED FOR USE ON AIRPORT RUNWAYS AND TAXIWAYS
 - ALCOHOL-FREE FORMULA
 - DEAL AS A PRE-TREAT
 - NON-HARMFUL TO GRASSES
- NON CORROSIVE, LEAVES NO RESIDUE
- EFFECTIVE IN TEMPERATURES AS LOW -60°F.

KEEP OUT OF REACH OF CHILDREN

NET CONTENTS: One Gallon (128 fl. oz.)

Manufactured By: Total Solutions[®] • 1-800-743-6417 PO Box 240014 • Milwaukee, WI 53224 • athea.com

DESCRIPTION

This advanced potassium acetate salt-based liquid penetrates quickly to dissolve frost, snow and ice accumulations from a wide variety of surfaces. It can also be used as a pre-treat up to 12 hours prior to storms to prevent accumulation. Its melting action does not generate any heat; it is non-corrosive and will not cause damage to surfaces or leave a residue; and it is non-burning to surrounding grass areas.

This product meets the requirements of "AMS 1435B Fluid, Generic, Deicing/Anti-Icing for Runways and Taxiways" making it an ideal solution for airport ice management on runways and taxiways.

NOT INTENDED OR APPROVED FOR USE ON AIRPLANES.

DIRECTIONS

To prevent ice accumulation, use approximately 1/2 gallon per 1,000 square feet. To deice thin layers of ice, use approximately 1 gallon per 1,000 square feet. More product may be required to melt thicker layers.

Water produced by melted ice and snow can enter the pores, chips, and cracks in concrete. The alternating freezing and thawing of this water can then cause damage to the concrete. To minimize this risk, remove slush and snow from concrete.

DISPOSAL

Offer empty container for recycling. If recycling is not available, discard container in trash.



For industrial and commercial use only.
For additional information, see Safety Data Sheet.

0277.020824