



## **DANGER**

Flammable liquid and vapor. May be fatal if swallowed and enters airways.

Keep away from heat, open flames, sparks. - No smoking. Keep container tightly closed. Ground/Bond container and receiving equipment. Use explosion-proof lighting, electrical equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Wear eye protection, protective clothing, protective gloves.

**IF SWALLOWED:** Immediately call a doctor, a POISON CENTER. Do NOT induce vomiting. **IF ON SKIN (OR HAIR):** Take off immediately all contaminated clothing. Rinse skin with water/shower.

**In case of fire:** Use carbon dioxide (CO2), dry extinguishing powder, foam to extinguish.

Store in a well-ventilated place. Keep cool. Store locked up.

### NFPA® RATINGS

Health: 2; Flammability: 2; Reactivity: 0

#### CONTAINS/CAS NUMBER

Hydrotreated Light Alkanes/64742-47-8; Alkanes, C14-16/90622-46-1; Hydrotreated Heav Alkanes/64742-52-5; Graphite/7782-42-5



SPECIALTY PRODUCTS

# **GRAPHITE LUBRICANT**

Extreme Temperature & Extreme Pressure Lubricant

NON-MELTIN

NON-HARDENING

#### DESCRIPTION

Provides long-term protection even when exposed to steam, damp atmospheres, and salt spray. Protects metal parts under sustained temperatures up to 2100°F (1050°C). Dry lubricant acts as a sealant, reduces friction, makes tighter, firmer joints that open easier reducing torque requirements.

USEFUL ON THESE SURFACES: Cast Iron • Steel alloys • Aluminum Copper • Brass • Titanium Rubber - Natural and Synthetic

#### DIRECTIONS

Clean surface of oil, grease and dirt. Use with grease or gun pressure pump. Keep container tightly closed when not in use.

#### **DISPOSAL**

Dispose of contents/container to comply with local/regional/national/international regulations.

## **KEEP OUT OF REACH OF CHILDREN**

NET CONTENTS: One Gallon (128 fl. oz.)

Manufactured By: Total Solutions<sup>®</sup> • 1-800-743-6417 PO Box 240014 • Milwaukee, WI 53224 • athea.com



For industrial and commercial use only. For additional information, see Safety Data Sheet.