For industrial and commercial use only. For additional information, see Safety Data Sheet.

0365.032018

WARNING: This product can expose you to diethanolamine, which is known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

NFPA[®] RATINGS Health: 0; Flammability: 0; Reactivity: 0

CONTAINS/CAS NUMBER:

Water/7732-18-5; Polydimethylsiloxane/63148-62-9; Proprietary/Mixture; Triethanolamine/102-71-6; DMDM Hydantoin/Mixture



SEWAGE TREATMENT



DESCRIPTION

This concentrated anti-foam product is designed for use in wastewater treatment systems. The non-polluting, water-based formula contains special silicone defoaming agents for fast knock-down of foam due to detergents, surfactants and organic materials in the water. Residual anti-foam ingredients prevent re-foaming or formation of scum blankets - regardless of pH.

DIRECTIONS

For best results drip feed into influent stream prior to foam formation. Normal application rates range from one quart to one gallon per 10,000 gallons of wastewater. To eliminate heavy scum blanket in digester, spray a light mist over the foam with a portable spraver. Once scum blanket is reduced, continue with drip feeding into influent stream.

DISPOSAL

Offer empty container for recycling. If recycling is not available, discard container in trash.

KEEP OUT OF REACH OF CHILDREN

NET CONTENTS: One Gallon (128 fl. oz.)

Manufactured By: Total Solutions[®] • 1-800-743-6417 PO Box 240014 • Milwaukee, WI 53224 • athea.com



