



#### DESCRIPTION

Use a fresh approach to the difficult problem of controlling offensive odors in sewage plants, lagoons, aerators, sewer mains and laterals and for garbage containers and dumps. It effectively neutralizes odors without harming bacterial action in digesters, lagoons, filters, septic tanks or drain fields.

Keep away from heat, open flames, sparks. - No smoking. Keep container tightly closed. Ground/bond container and receiving equipment. Use explosion-proof electrical, lighting equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Avoid breathing mist, spray. Contaminated work clothing must not be allowed out of the workplace. Wear eye protection, protective clothing, protective gloves. Take off contaminated clothing and wash it before reuse.

**IF ON SKIN (OR HAIR):** Take off immediately all contaminated clothing. Rinse skin with water/shower. **If skin irritation or rash occurs:** Get medical advice/attention.

**IF IN EYES:** Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a doctor, a POISON CENTER.

**In case of fire:** Use carbon dioxide (CO<sub>2</sub>), dry extinguishing powder, foam to extinguish.

Store in a well-ventilated place. Keep cool.

**DISPOSAL:** Dispose of contents/container to comply with local/regional/national/international regulations.

*For industrial and commercial use only.*

*For additional information, see Safety Data Sheet.*

# TOTAL SOLUTIONS<sup>®</sup>

WASTEWATER and  
SEWAGE TREATMENT

## LEMON SEWER SWEETENER

Formulated to Control  
Obnoxious Odors

- CONTAINS NO HARMFUL SOLVENTS
- WILL NOT DISRUPT BACTERIAL ACTION
- FORMULATED TO CONTROL OBNOXIOUS ODORS IN SEWAGE PLANTS, LAGOONS, MAINS & LATERALS, GARBAGE CONTAINERS, HAULERS & DUMPS

### DANGER

Flammable liquid and vapor. May cause an allergic skin reaction. Causes serious eye damage.

**KEEP OUT OF REACH OF CHILDREN**

**NET CONTENTS:** One Gallon (128 fl. oz.)

Manufactured By: Total Solutions<sup>®</sup>  
PO Box 240014 • Milwaukee, WI 53224 • 1-800-743-6417

#### DIRECTIONS

To control odors in aerators, lagoons, open digesters and filter beds, inject undiluted into the line leading to the source of odor. The amount required will vary with the temperature, air movement and intensity of odor to be removed.

Also spray or mist undiluted over the source of odors, allowing air motion to carry it over the area.

To control odors in sewer mains and laterals, pour, spray or drip undiluted into the lines. Also spray manholes and drains thoroughly.

For garbage containers, trucks and dumps, spray liberally over the source of the odor.

#### NFPA<sup>®</sup> RATINGS

Health: 1; Flammability: 3; Reactivity: 0

#### CONTAINS/CAS NUMBER:

Water/7732-18-5; Isopropanol/67-63-0; Linear Alcohol Ethoxylates/34398-01-1; Fragrance/Proprietary; d-Limonene/5989-27-5



Please Recycle.

0371.020218