Safety Data Sheet



SECTION 1: Product and company identification

Product name	: Lemon Sewer Sweetener
Use of the substance/mixture	: Deodorant
Product code	: 0371
Company	: Total Solutions P.O. Box 240014 Milwaukee, WI 53224 - USA T (414) 354-6417
Emergency number	: Chemtrec: (800) 424-9300

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

GHS-US classification

Flam. Liq. 3 H226 Eye Dam. 1 H318 Skin Sens. 1 H317

2.2. Label elements	
GHS-US labeling	
Hazard pictograms (GHS-US)	HS02 GHS05 GHS07
Signal word (GHS-US)	: Danger
Hazard statements (GHS-US)	: Flammable liquid and vapor May cause an allergic skin reaction Causes serious eye damage
Precautionary statements (GHS-US)	 Keep away from heat, open flames, sparks No smoking. Keep container tightly closed. Ground/Bond container and receiving equipment Use explosion-proof electrical, lighting equipment Use only non-sparking tools. Take precautionary measures against static discharge. Avoid breathing mist, spray. Contaminated work clothing must not be allowed out of the workplace Wear eye protection, protective clothing, protective gloves. If on skin: Wash with plenty of water If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing Immediately call a doctor, a POISON CENTER Specific treatment (see First aid measures on this label) If skin irritation or rash occurs: Get medical advice/attention. Wash contaminated clothing before reuse. In case of fire: Use carbon dioxide (CO2), dry extinguishing powder, foam to extinguish. Store in a well-ventilated place. Keep cool. Dispose of contents/container to comply with local/regional/national/international regulations.
2.3. Other hazards No additional information available	
2.4. Unknown acute toxicity (GHS US) Not applicable	
SECTION 3: Composition/Informat	tion on ingredients
3.1. Substances Not applicable Full text of H-phrases: see section 16	
3.2. Mixtures	

3.2. Mixtures

Name	Product identifier	%	GHS-US classification
2-propanol	(CAS-No.) 67-63-0	3-7	Flam. Liq. 2, H225 Eye Irrit. 2A, H319 STOT SE 3, H336

Safety Data Sheet



Name	Product identifier	%	GHS-US classification
Linear Alcohol Ethoxylate	(CAS-No.) 34398-01-1	1-5	Acute Tox. 4 (Oral), H302 Eye Dam. 1, H318
(+)-limonene	(CAS-No.) 5989-27-5	0.5-1.5	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1, H317 Asp. Tox. 1, H304

A specific chemical identity and/or percentage of composition has been withheld as a trade secret. Any concentration shown as a range is to protect confidentiality or is due to batch variation.

SECTION 4: First aid measures	
4.1. Description of first aid measures	
First-aid measures general	: If you feel unwell, seek medical advice (show the label where possible).
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing.
First-aid measures after skin contact	: Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. If skin irritation or rash occurs: Get medical advice/attention.
First-aid measures after eye contact	 Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center or doctor/physician.
First-aid measures after ingestion	: Rinse mouth with water. Do NOT induce vomiting.
4.2. Most important symptoms and effe	, , , , , , , , , , , , , , , , , , , ,
Symptoms/effects	: Causes serious eye damage. May cause an allergic skin reaction.
Symptoms/effects after inhalation	: None under normal use.
Symptoms/effects after skin contact	: Contact during a long period may cause slight irritation. May cause an allergic skin reaction.
Symptoms/effects after eye contact	: Causes serious eye damage. Corrosion of the eye tissue. Permanent eye damage.
Symptoms/effects after ingestion	: Gastrointestinal complaints. Nausea. Vomiting.
4.3. Indication of any immediate mediate Treat symptomatically.	al attention and special treatment needed
SECTION 5: Firefighting measure	c
5.1. Extinguishing media Suitable extinguishing media	: Carbon dioxide. Dry powder. Foam.
5.2. Special hazards arising from the su	
Fire hazard	: Flammable liquid and vapor.
Reactivity	: Thermal decomposition may produce oxides of carbon and nitrogen.
5.3. Advice for firefighters	
Firefighting instructions	: Exercise caution when fighting any chemical fire. Use water spray or fog for cooling exposed containers. Take account of environmentally hazardous firefighting water.
Protection during firefighting	: Do not enter fire area without proper protective equipment, including respiratory protection.
SECTION 6: Accidental release m	
6.1. Personal precautions, protective e	
General measures	: Isolate from fire, if possible, without unnecessary risk. No flames, no sparks. Eliminate all sources of ignition. Use special care to avoid static electric charges.
6.1.1. For non-emergency personnel	
Protective equipment	: Protective goggles. Gloves. Protective clothing.
Emergency procedures	: Evacuate unnecessary personnel. Avoid contact with skin, eyes and clothing. Ventilate spillage area.
6.1.2. For emergency responders	
Protective equipment	: Equip cleanup crew with proper protection.
Emergency procedures	: Stop leak if safe to do so. Stop release. Ventilate area.
6.2. Environmental precautions Avoid release to the environment. Prevent	entry to sewers and public waters.
6.3. Methods and material for containing	
For containment	: Contain released product, pump into suitable containers.
Methods for cleaning up	: This material and its container must be disposed of in a safe way, and as per local legislation.
6.4. Reference to other sections	

No additional information available

Safety Data Sheet



		SECTION 7:	Handling a	nd storage
--	--	-------------------	------------	------------

7.1. Precautions for safe handling	
Precautions for safe handling	: Comply with the legal requirements. Do not handle until all safety precautions have been read and understood. Use personal protective equipment as required. Do not eat, drink or smoke when using this product. Do not get in eyes, on skin, or on clothing. Keep away from sources of ignition - No smoking. Keep container tightly closed. Ground/bond container and receiving equipment. Take precautionary measures against static discharge. Avoid breathing mist, spray.
Hygiene measures	: Wash thoroughly after handling. Wash contaminated clothing before reuse.
7.2. Conditions for safe storage, inclu	iding any incompatibilities
Technical measures	: Comply with applicable regulations. Ground/bond container and receiving equipment. Use only non- sparking tools.
Storage conditions	: Store in a well-ventilated place. Keep cool. Keep container closed when not in use.
Incompatible products	: Oxidizing agents.
Incompatible materials	: Sources of ignition. Heat sources.
Storage area	: Meet the legal requirements. Store in a cool area. Store in a dry area.
Special rules on packaging	: meet the legal requirements.

SECTION 8: Exposure controls/personal protection

2-propanol (67-63-	0)		
ACGIH	ACGIH TWA (ppm)	200 ppm	
ACGIH	ACGIH STEL (ppm)	400 ppm	
ACGIH	Remark (ACGIH)	Eye & URT irr; CNS impair	
OSHA	OSHA PEL (TWA) (mg/m ³)	980 mg/m³	
OSHA	OSHA PEL (TWA) (ppm)	400 ppm	
(+)-limonene (5989)-27-5)	· · · · · · · · · · · · · · · · · · ·	
Not applicable			
Linear Alcohol Eth	oxylate (34398-01-1)		
Not applicable			

8.2. Exposure controls Personal protective equipment

: Gloves. Safety glasses. Protective clothing. Use appropriate personal protective equipment when risk assessment indicates this is necessary.



SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemi	cal properties
Physical state	: Liquid
Appearance	: Clear to hazy liquid. Yellow liquid.
Odor	: lemon-like
Odor threshold	: No data available
рН	: 7-8.5
Melting point	: No data available
Freezing point	: No data available
Boiling point	: No data available
Flash point	: 108 °F Closed Cup
Relative evaporation rate (butyl acetate=1)	: No data available
Flammability (solid, gas)	: No data available
Explosion limits	: No data available
Explosive properties	: No data available
Oxidizing properties	: No data available
Vapor pressure	: No data available

Safety Data Sheet

Relative density	: No data available
Relative vapor density at 20 °C	: No data available
Specific gravity / density	: 0.99 g/ml
Solubility	: Soluble in water.
Log Pow	: No data available
Log Kow	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
VOC content	: < 10 %

SECTION 10: Stability and reactivity

10.1. Reactivity

Thermal decomposition may produce oxides of carbon and nitrogen.

10.2. Chemical stability	
Stable under normal conditions	

10.3. Possibility of hazardous reactions

Refer to section 10.1 on Reactivity.

10.4. Conditions to avoid

Overheating. Open flame.

10.5. Incompatible materials

Oxidizing agent.

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information 11.1. Information on toxicological effects Acute toxicity : Not classified 2-propanol (67-63-0) LD50 oral rat 5840 mg/kg body weight (Equivalent or similar to OECD 401, Rat, Experimental value) LD50 dermal rabbit 16400 ml/kg (Equivalent or similar to OECD 402, 24 h, Rabbit, Experimental value) LC50 inhalation rat (ppm) > 10000 ppm (Equivalent or similar to OECD 403, 6 h, Rat, Male/female, Experimental value) ATE CLP (oral) 5840 mg/kg body weight (+)-limonene (5989-27-5) LD50 oral rat > 2000 mg/kg body weight (OECD 423: Acute Oral Toxicity - Acute Toxic Class Method, Rat, Female, Read-across) LD50 dermal rabbit > 5000 mg/kg body weight (Equivalent or similar to OECD 402, Rabbit, Weight of evidence) Linear Alcohol Ethoxylate (34398-01-1) LD50 oral rat > 1400 mg/kg Skin corrosion/irritation : Not classified pH: 7 - 8.5 Serious eye damage/irritation Causes serious eye damage. pH: 7 - 8.5 Respiratory or skin sensitization May cause an allergic skin reaction. Germ cell mutagenicity Not classified Not classified Carcinogenicity Reproductive toxicity Not classified Specific target organ toxicity – single exposure : Not classified Specific target organ toxicity - repeated : Not classified



Safety Data Sheet



Symptoms/effects after ingestion	:	(
Likely routes of exposure	: :	S

SECTION 12: Ecological information

Gastrointestinal complaints. Nausea. Vomiting.

: Skin and eye contact

2.1. Toxicity		
2-propanol (67-63-0)		
LC50 fish 1	9640 - 10000 mg/l (Equivalent or similar to OECD 203, 96 h, Pimephales promelas, Flow- through system, Fresh water, Experimental value)	
(+)-limonene (5989-27-5)		
LC50 fish 1	720 μg/l (OECD 203: Fish, Acute Toxicity Test, 96 h, Pimephales promelas, Flow-through system, Fresh water, Experimental value)	
EC50 Daphnia 1	0.36 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Static system, Fresh water, Experimental value)	
Linear Alcohol Ethoxylate (34398-01-1)	·	
LC50 fish 1	< 10 mg/l	
EC50 Daphnia 1	< 10 mg/l	
ErC50 (algae)	< 10 mg/l	
2.2. Persistence and degradability		
2-propanol (67-63-0)		
Persistence and degradability	Biodegradable in the soil. Biodegradable in the soil under anaerobic conditions. Readily biodegradable in water.	
Biochemical oxygen demand (BOD)	1.19 g O₂/g substance	
Chemical oxygen demand (COD)	2.23 g O₂/g substance	
ThOD	2.4 g O ₂ /g substance	
(+)-limonene (5989-27-5)		
Persistence and degradability	Readily biodegradable in water.	
ThOD	$3.29 \text{ g } \text{O}_2/\text{g substance}$	
2.3. Bioaccumulative potential		
2-propanol (67-63-0)		
Log Pow	0.05 (Weight of evidence approach, 25 °C)	
Bioaccumulative potential	Low potential for bioaccumulation (Log Kow < 4).	
(+)-limonene (5989-27-5)		
BCF fish 1	864.8 - 1022 (Pisces, QSAR, Fresh weight)	
Log Pow	4.38 (Experimental value, OECD 117: Partition Coefficient (n-octanol/water), HPLC method, 37 °C)	
Bioaccumulative potential	Potential for bioaccumulation ($4 \ge Log \text{ Kow} \le 5$).	
ECTION 13: Disposal considerations		
3.1. Waste treatment methods		
	ispose in a safe manner in accordance with local/national regulations.	
ECTION 14: Transport information		
epartment of Transportation (DOT)		
accordance with DOT : Not regulated for tra	ansport	
dditional information		
49	/hen transported by ground in non-bulk containers, this product utilizes the exception found under 9 CFR 173.150. If any alteration of packaging, product, or mode of transportation is further tended, different shipping names and labeling may be required.	
DR		
o additional information available		
lo additional information available ransport by sea		
ransport by sea lo additional information available		
ransport by sea		

Safety Data Sheet



SECTION 15: Regulatory information

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory

Chemical(s) subject to the reporting requirements of Section 313 or Title III of the Superfund Amendments and Reauthorization Act (SARA) of 1986 and 40 CFR Part 372.

2-propanol	CAS-No. 67-63-0	3-7%				
2-propanol (67-63-0)						
Subject to reporting requirements of United States SARA Section 313						
Linear Alcohol Ethoxylate (34398-01-1)						
SARA Section 311/312 Hazard Classes	Immediate (acute) health hazard					

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer, developmental and/or reproductive harm

SECTION 16: Other information


Training advice

: Normal use of this product shall imply use in accordance with the instructions on the packaging.

Full text of H-phrases:

H225	Highly flammable liquid and vapor
H226	Flammable liquid and vapor
H302	Harmful if swallowed
H304	May be fatal if swallowed and enters airways
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H318	Causes serious eye damage
H319	Causes serious eye irritation
H336	May cause drowsiness or dizziness

NFPA health hazard	:	1 - Materials that, under emergency conditions, can cause significant irritation.	
NFPA fire hazard	:	3 - Liquids and solids (including finely divided suspended solids) that can be ignited under almost all ambient temperature conditions.	
NFPA reactivity	:	0 - Material that in themselves are normally stable, even under fire conditions.	$\left(\begin{array}{c} 1 \end{array} \right)$



Prepared by: Technical Department

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product. No warranty is expressed or implied regarding the accuracy of this data or the results obtained from the use thereof. Our company assumes no responsibility for personal injury or property damage to the vendee, users or third parties caused by the material. Such vendees or users assume all risks associated with the use of this material.