Safety Data Sheet



SECTION 1: Product and company identification

Product name : Windshield Deicer Concentrate

Use of the substance/mixture : Cleaner Product code : 0470

Company : Total Solutions P.O. Box 240014

Milwaukee, WI 53224 - USA

T (414) 354-6417

Emergency number : Chemtec: (800) 424-9300

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

GHS-US classification

Flam. Liq. 2 H225
Acute Tox. 3 (Oral) H301
Acute Tox. 3 (Dermal) H311
Acute Tox. 3 (Inhalation:dust,mist) H331
Repr. 1B H360
Lact. H362
STOT SE 1 H370

2.2. Label elements

GHS-US labeling

Hazard pictograms (GHS-US)





GHS06 GH

Signal word (GHS-US) : Danger

Hazard statements (GHS-US) : Highly flammable liquid and vapor

Toxic if swallowed, in contact with skin or if inhaled

May damage fertility or the unborn child May cause harm to breast-fed children

Causes damage to organs (central nervous system, blood, eyes)

Precautionary statements (GHS-US) : Obtain special instructions before use

Do not handle until all safety precautions have been read and understood

Keep away from heat, open flames, sparks. - No smoking

Keep container tightly closed

Ground/Bond container and receiving equipment Use explosion-proof electrical, lighting equipment

Use only non-sparking tools

Take precautionary measures against static discharge

Do not breathe fume, mist, spray, vapors Avoid breathing fume, mist, spray, vapors Avoid contact during pregnancy/while nursing

Wash thoroughly after handling

Do not eat, drink or smoke when using this product Use only outdoors or in a well-ventilated area

Wear eye protection, protective clothing, protective gloves If swallowed: Immediately call a doctor, a POISON CENTER

If on skin: Wash with plenty of water

If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with

water/shower

If inhaled: Remove person to fresh air and keep comfortable for breathing

If exposed: Call a poison center/doctor

If exposed or concerned: Get medical advice/attention

Call a doctor, a POISON CENTER

Call a doctor, a POISON CENTER if you feel unwell Specific treatment (see First aid measures on this label) Specific treatment (see First aid measures on this label)

Rinse mouth

Take off immediately all contaminated clothing and wash it before reuse

In case of fire: Use dry extinguishing powder, alcohol resistant foam, carbon dioxide (CO2) to

extinguish

Store in a well-ventilated place. Keep container tightly closed

Store in a well-ventilated place. Keep cool

 Date of issue: 4/21/2017
 Revision date: 04/20/2017
 Version: 1.1
 P GHS SDS
 Page 1 of 6

Safety Data Sheet



Store locked up

Dispose of contents/container to comply with local/regional/national/international regulations.

2.3. Other hazards

No additional information available

2.4. Unknown acute toxicity (GHS US)

Not applicable

SECTION 3: Composition/Information on ingredients

3.1. Substances

Not applicable

Full text of H-phrases: see section 16

3.2. Mixtures

Name	Product identifier	%	GHS-US classification
methanol	(CAS-No.) 67-56-1	55-70	Flam. Liq. 2, H225 Acute Tox. 3 (Oral), H301 Acute Tox. 3 (Dermal), H311 Acute Tox. 3 (Inhalation), H331 Lact., H362 Repr. 1B, H360 STOT SE 1, H370

A specific chemical identity and/or percentage of composition has been withheld as a trade secret. Any concentration shown as a range is to protect confidentiality or is due to batch variation.

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general

: The effects may be delayed. Keep watching the victim. show this sheet where possible. Get medical advice/attention if you feel unwell. Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.

First-aid measures after inhalation

Remove the victim into fresh air. Give oxygen or artificial respiration if necessary. Prompt action is

critical. Get immediate medical advice/attention.

First-aid measures after skin contact

Take off contaminated clothing and wash it before reuse. Clothing that has become saturated with the product must be removed immediately because the product is absorbed through the skin. Wash

immediately with lots of water (15 minutes)/shower. Get medical advice/attention.

First-aid measures after eye contact First-aid measures after ingestion

Rinse immediately with plenty of water. Get immediate medical advice/attention. Do NOT induce vomiting. Get immediate medical advice/attention. Prompt action is critical.

Symptoms/effects

4.2. Most important symptoms and effects, both acute and delayed Toxic if swallowed, in contact with skin or if inhaled. May damage the unborn child. May cause harm to breast-fed children. Causes damage to organs (central nervous system, blood).

Symptoms/effects after inhalation

Toxic if inhaled

Symptoms/effects after skin contact

Toxic in contact with skin.

Symptoms/effects after eye contact

Direct contact with the eyes is likely to be irritating.

Symptoms/effects after ingestion : Toxic if swallowed.

Indication of any immediate medical attention and special treatment needed

This material contains methanol, which, when ingested, has cards acidosis, ocular toxicity ranging from diminished visual capacity to complete blindness, and death. Symptoms may be delayed.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Dry chemical powder. Carbon dioxide. Alcohol-resistant foam. Unsuitable extinguishing media : Do not use a water jet since it may cause the fire to spread.

5.2. Special hazards arising from the substance or mixture

Fire hazard

: Highly flammable liquid and vapor. A methanol fire may not be visible to the naked eye. The vapors are denser than air and may travel along the ground. Distance ignition possible.

Explosion hazard

vapors may travel long distances along ground before igniting/flashing back to vapor source.

Reactivity Upon combustion: CO and CO2 are formed.

5.3. Advice for firefighters

Firefighting instructions

: Exercise caution when fighting any chemical fire. Use water spray or fog for cooling exposed containers. Take account of environmentally hazardous firefighting water. For massive fire in cargo area, use unmanned hose holder or monitor nozzles, if possible. If not, withdraw and let fire burn out. Cool tanks/drums with water spray/remove them into safety.

Protection during firefighting

Do not enter fire area without proper protective equipment, including respiratory protection.

Date of issue: 4/21/2017 Revision date: 04/20/2017 Version: 1.1 P GHS SDS Page 2 of 6

Safety Data Sheet



SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures : Eliminate every possible source of ignition. Use special care to avoid static electric charges.

6.1.1. For non-emergency personnel

Protective equipment : Protective goggles. Gloves. Protective clothing.

Emergency procedures : Evacuate unnecessary personnel. No naked flames or sparks. Only qualified personnel equipped

with suitable protective equipment may intervene.

6.1.2. For emergency responders

Protective equipment : Equip cleanup crew with proper protection.

Emergency procedures : Stop leak if safe to do so. Stop release. Ventilate area.

6.2. Environmental precautions

Prevent entry to sewers and public waters. Notify authorities if product enters sewers or public waters.

6.3. Methods and material for containment and cleaning up

For containment : Contain released substance, pump into suitable containers. Eliminate every possible source of ignition.

Methods for cleaning up : This material and its container must be disposed of in a safe way, and as per local legislation. Take up

liquid spill into inert absorbent material, e.g.: sand/earth. Clean contaminated surfaces with a soap solution.

6.4. Reference to other sections

No additional information available

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Additional hazards when processed : Handle empty containers with care because residual vapors are flammable.

Precautions for safe handling : Comply with the legal requirements. Do not handle until all safety precautions have been read

and understood. Use personal protective equipment as required. Do not eat, drink or smoke when using this product. Do not get in eyes, on skin, or on clothing. Handle and open the container with care. Keep away from sources of ignition - No smoking. Take precautions against electrostatic charges. Use only outdoors or in a well-ventilated area. Remove contaminated clothing immediately. Keep container tightly closed. Ground/bond container and

receiving equipment. Use explosion-proof equipment. Do not breathe fume, mist, spray.

Hygiene measures : Wash thoroughly after handling. Wash contaminated clothing before reuse.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Comply with applicable regulations. Proper grounding procedures to avoid static electricity should be followed.

Storage conditions : Keep container tightly closed. Keep only in the original container in a cool, well ventilated place away from:

sparks, open flames, excessive heat. Avoid aluminum.

Incompatible products : Oxidizing agent, reactive metals (Al, K, Zn ...).

Incompatible materials : Sources of ignition. Heat sources.

Storage area : Store away from heat. Store in a cool area. Store in a dry area. Store in a well-ventilated place. Keep locked up.

Special rules on packaging : Keep only in original container. meet the legal requirements

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

oil com of parameters				
methanol (67-56-1)				
ACGIH	ACGIH TWA (ppm) 200 ppm			
ACGIH	ACGIH STEL (ppm)	250 ppm		
ACGIH	Remark (ACGIH)	Headache; eye dam; dizziness; nausea		
OSHA	OSHA PEL (TWA) (mg/m³)	260 mg/m³		
OSHA	OSHA PEL (TWA) (ppm)	200 ppm		

8.2. Exposure controls

Appropriate engineering controls

 Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits.

 Date of issue: 4/21/2017
 Revision date: 04/20/2017
 Version: 1.1
 P GHS SDS
 Page 3 of 6

Safety Data Sheet



Personal protective equipment

: Use appropriate personal protective equipment when risk assessment indicates this is necessary. Gloves. Protective clothing. Protective goggles. Safety glasses.







Other information : Do not eat, drink or smoke when using this product.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid

Appearance : clear. dark blue. Liquid.

Odor : Methanol

Odor threshold : No data available

pH : 7-9

Melting point No data available Freezing point : No data available Boiling point 149 °F Methanol Flash point < 70 °F Closed Cup Relative evaporation rate (butyl acetate=1) : No data available Flammability (solid, gas) : No data available : No data available **Explosion limits** Explosive properties No data available Oxidizing properties : No data available Vapor pressure No data available Relative density No data available Relative vapor density at 20 °C : No data available Specific gravity / density 0.875 g/ml Solubility Soluble in water. Log Pow No data available No data available Log Kow Auto-ignition temperature No data available Decomposition temperature : No data available

Viscosity, dynamic : No data available

VOC content : < 70 %

SECTION 10: Stability and reactivity

10.1. Reactivity

Viscosity, kinematic

Viscosity

Upon combustion: CO and CO2 are formed.

10.2. Chemical stability

Highly flammable liquid and vapor. Stable under normal conditions.

10.3. Possibility of hazardous reactions

Refer to section 10.1 on Reactivity.

10.4. Conditions to avoid

Heat. No flames, no sparks. Eliminate all sources of ignition.

10.5. Incompatible materials

Oxidizing agents. reactive metals (Al, K, Zn ...).

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

: No data available

No data available

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity : Oral: Toxic if swallowed. Dermal: Toxic in contact with skin. Inhalation:dust,mist: Toxic if inhaled.

methanol (67-56-1)	
LD50 dermal rabbit	12800 mg/kg

 Date of issue: 4/21/2017
 Revision date: 04/20/2017
 Version: 1.1
 P GHS SDS
 Page 4 of 6

Safety Data Sheet



methanol (67-56-1)	
ATE CLP (oral)	100.000 mg/kg body weight
ATE CLP (dermal)	300.000 mg/kg body weight
ATE CLP (vapors)	128.200 mg/l/4h
ATE CLP (dust, mist)	0.500 mg/l/4h

Skin corrosion/irritation : Not classified

pH: 7 - 9

Serious eye damage/irritation : Not classified

pH: 7 - 9

Respiratory or skin sensitization : Not classified Germ cell mutagenicity : Not classified Carcinogenicity : Not classified

Reproductive toxicity : May damage fertility or the unborn child. May cause harm to breast-fed children.

Specific target organ toxicity - single exposure : Causes damage to organs (central nervous system, blood, eyes).

Specific target organ toxicity – repeated exposure : Not classified
Aspiration hazard : Not classified
Symptoms/effects after inhalation : Toxic if inhaled.

Symptoms/effects after skin contact : Toxic in contact with skin.

Symptoms/effects after eye contact : Direct contact with the eyes is likely to be irritating.

Symptoms/effects after ingestion : Toxic if swallowed.

Likely routes of exposure : Skin and eye contact;Inhalation;Ingestion

SECTION 12: Ecological information

12.1. Toxicity

No additional information available

12.2. Persistence and degradability

No additional information available

12.3. Bioaccumulative potential

No additional information available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Product/Packaging disposal recommendations : Dispose of contents/container to comply with local/regional/national regulations.

SECTION 14: Transport information

Department of Transportation (DOT)

Transport document description : UN1230 Methanol, 3, II

UN-No.(DOT) : UN1230
Proper Shipping Name (DOT) : Methanol

Class (DOT) : 3 - Class 3 - Flammable and combustible liquid 49 CFR 173.120

Hazard labels (DOT) : 3 - Flammable liquid

FLAMMABLE LIQUID

Packing group (DOT) : II - Medium Danger

DOT Packaging Non Bulk (49 CFR 173.xxx) : 202 DOT Packaging Bulk (49 CFR 173.xxx) : 242

DOT Symbols : D - Proper shipping name for domestic use only, or to and from Canada

DOT Special Provisions (49 CFR 172.102) : IB2,T7,TP2

DOT Packaging Exceptions (49 CFR

173.xxx)

: 150

DOT Quantity Limitations Passenger

aircraft/rail (49 CFR 173.27)

: 1 L

DOT Quantity Limitations Cargo aircraft

only (49 CFR 175.75)

: 60 L

DOT Vessel Stowage Location : B

Date of issue: 4/21/2017 Revision date: 04/20/2017 Version: 1.1 P GHS SDS Page 5 of 6

Safety Data Sheet

TOTAL SOLUTIONS**

DOT Vessel Stowage Other : 40 - Stow "clear of living quarters"

Additional information

Emergency Response Guide (ERG) : 131

Number

Other information : This product may be eligible to be shipped as a Limited Quantity or Consumer Commodity ORM-D

utilizing the exception found at 49 CFR 173.150.

ADR

No additional information available

Transport by sea

No additional information available

Air transport

No additional information available

SECTION 15: Regulatory information

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory

Chemical(s) subject to the reporting requirements of Section 313 or Title III of the Superfund Amendments and Reauthorization Act (SARA) of 1986 and 40 CFR Part 372.

methanol	CAS-No. 67-56-1	55-70%	
methanol (67-56-1)			
Subject to reporting requirements of United States SARA Section 313			
CERCLA RQ	5000 lb		

California Proposition 65 - This product contains, or may contain, trace quantities of a substance(s) known to the state of California to cause cancer, developmental and/or reproductive harm

SECTION 16: Other information

Training advice : Normal use of this product shall imply use in accordance with the instructions on the packaging.

Full text of H-phrases:

H225	Highly flammable liquid and vapor
H301	Toxic if swallowed
H311	Toxic in contact with skin
H331	Toxic if inhaled
H360	May damage fertility or the unborn child
H362	May cause harm to breast-fed children
H370	Causes damage to organs


NFPA health hazard : 2 - Materials that, under emergency conditions, can cause temporary incapacitation or residual

injury.

NFPA fire hazard : 3 - Liquids and solids (including finely divided suspended solids) that can be ignited under almost all

ambient temperature conditions.

NFPA reactivity : 0 - Material that in themselves are normally stable, even under fire conditions.



Prepared by: Technical Department

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product. No warranty is expressed or implied regarding the accuracy of this data or the results obtained from the use thereof. Our company assumes no responsibility for personal injury or property damage to the vendee, users or third parties caused by the material. Such vendees or users assume all risks associated with the use of this material.

Date of issue: 4/21/2017 Revision date: 04/20/2017 Version: 1.1 P GHS SDS Page 6 of 6