Safety Data Sheet



SECTION 1: Product and company identification

Product name : Laundry Detergent

Use of the substance/mixture : Cleaner

Product code : 0666

Company : Total Solutions

P.O. Box 240014

Milwaukee, WI 53224 - USA

T 800-743-6417

athea.com

Contact:Technical Department : Chemtrec: 1-800-424-9300

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

GHS-US classification

Emergency number

Skin Irrit. 2 H315 Eye Dam. 1 H318

2.2. Label elements

GHS US labelling

Hazard pictograms (GHS US)



GHS05

Signal word (GHS US) : Danger

Hazard statements (GHS US) : Causes skin irritation.

Causes serious eye damage.
Precautionary statements (GHS US)
Wash thoroughly after handling

Wear eye protection, protective clothing, protective gloves.

If on skin: Wash with plenty of water.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and

easy to do. Continue rinsing. Immediately call a doctor.

If skin irritation occurs: Get medical advice/attention.

Take off contaminated clothing and wash it before reuse.

2.3. Other hazards

No additional information available

2.4. Unknown acute toxicity (GHS US)

Not applicable.

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	GHS-US classification
Sodium Carbonate	(CAS-No.) 497-19-8	60.0 - 80.0	Eye Irrit. 2, H319
Cleansing Agent)			
Sodium Carbonate Peroxide	(CAS-No.) 15630-89-4	5.0 - 10.0	Acute Tox. 4 (Oral), H302
Cleansing Agent)			Eye Dam. 1, H318
Sodium Metasilicate	(CAS-No.) 6834-92-0	3.0 - 7.0	Met. Corr. 1, H290
Corrosion inhibitors)			Skin Corr. 1B, H314
			STOT SE 3, H335
Undeceth-5	(CAS-No.) 34398-01-1	1.0 - 5.0	Acute Tox. 4 (Oral), H302
(Solvent)			Eye Dam. 1, H318

Issue date: 10/16/2023 Revision date: 10/16/2023 Version: 1.1 Z_US GHS SDS 21 Page 1 of 6

Safety Data Sheet



Alkylbenzene Sulfonic Acid (Surfactant)	(CAS-No.) 68584-22-5	1.0 - 5.0	Acute Tox. 4 (Oral), H302 Skin Corr. 1A, H314
Sodium (C14-16) olefin sulfonate	(CAS-No.) 68439-57-6	0.1-1	Acute Tox. 4 (Oral), H302 Skin Irrit. 2, H315 Eye Irrit. 2A, H319

All hazardous chemicals, as determined by 29 CFR 1910.1200 have been listed. A specific chemical identity and/or percentage of composition has been withheld as a trade secret. Any concentration shown as a range is to protect confidentiality or is due to batch variation.

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general : If you feel unwell, seek medical advice (show the label where possible).

First-aid measures after inhalation : Remove the victim into fresh air.

First-aid measures after skin contact : Take off immediately all contaminated clothing and wash it before reuse. Rinse skin with water/shower.

If skin irritation occurs: Get medical advice/attention.

First-aid measures after eye contact : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continue rinsing. Get immediate medical advice/attention.

First-aid measures after ingestion : Rinse mouth with water. Do NOT induce vomiting.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects : Causes serious eye damage.
Symptoms/effects after inhalation : May cause respiratory irritation.
Symptoms/effects after skin contact : Causes skin irritation.

Symptoms/effects after eye contact : Causes serious eye damage. Corrosion of the eye tissue. Permanent eye damage.

Symptoms/effects after ingestion : Gastrointestinal complaints. Burns to the gastric/intestinal mucosa. Diarrhea. Cramps. Nausea.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : All extinguishing media allowed.

5.2. Special hazards arising from the substance or mixture

Reactivity : Upon combustion: CO and CO2 are formed.

5.3. Advice for firefighters

Firefighting instructions : Exercise caution when fighting any chemical fire. Use water spray or fog for cooling exposed

containers. Take account of environmentally hazardous firefighting water.

Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures : Isolate from fire, if possible, without unnecessary risk.

6.1.1. For non-emergency personnel

Protective equipment : Protective goggles. Gloves. Protective clothing.

Emergency procedures : Evacuate unnecessary personnel. Avoid contact with skin, eyes and clothing. Ventilate spillage area.

6.1.2. For emergency responders

Protective equipment : Equip cleanup crew with proper protection.

Emergency procedures : Stop leak if safe to do so. Stop release. Ventilate area.

6.2. Environmental precautions

Avoid release to the environment. Prevent entry to sewers and public waters.

6.3. Methods and material for containment and cleaning up

For containment : Contain released product, collect/pump into suitable containers.

Methods for cleaning up : This material and its container must be disposed of in a safe way, and as per local legislation.

6.4. Reference to other sections

No additional information available

lssue date: 10/16/2023 Revision date: 10/16/2023 Version: 1.1 Z US GHS SDS 21 Page 2 of 6

Safety Data Sheet



SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Comply with the legal requirements. Do not handle until all safety precautions have been read and

understood. Use personal protective equipment as required. Do not eat, drink or smoke when using this

product. Do not get in eyes, on skin, or on clothing.

Hygiene measures : Wash thoroughly after handling. Wash contaminated clothing before reuse.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Comply with applicable regulations.
Storage conditions : Keep container closed when not in use.

Incompatible products : Acids.

Information on mixed storage : KEEP SUBSTANCE AWAY FROM: (strong) acids.

Storage area : Meet the legal requirements. Store in a cool area. Store in a dry area.

Special rules on packaging : meet the legal requirements.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Alkylbenzene Sulfonic Acid (68584-22-5)

Not applicable

Sodium Metasilicate (6834-92-0)

Not applicable

Sodium Carbonate (497-19-8)

Not applicable

Sodium Carbonate Peroxide (15630-89-4)

Not applicable

Undeceth-5 (34398-01-1)

Not applicable

Sodium (C14-16) olefin sulfonate (68439-57-6)

Not applicable

8.2. Exposure controls

Personal protective equipment

Use appropriate personal protective equipment when risk assessment indicates this is necessary. Gloves. Protective goggles. Protective clothing.







SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Solid

Appearance : Fine white powder, free flowing

Odour : No odor

Odour threshold No data available No data available Melting point No data available Freezing point No data available **Boiling point** No data available No data available Flash point Relative evaporation rate (butylacetate=1) No data available Flammability No data available **Explosive limits** No data available Explosive properties No data available No data available Oxidising properties Vapour pressure No data available Relative density No data available Relative vapour density at 20°C No data available

Issue date: 10/16/2023 Revision date: 10/16/2023 Version: 1.1 Z_US GHS SDS 21 Page 3 of 6

Safety Data Sheet

TOTAL SOLUTIONS

Solubility : Soluble in water.

Partition coefficient n-octanol/water (Log Pow) : No data available

Partition coefficient n-octanol/water (Log Kow) : No data available

Auto-ignition temperature : No data available

Decomposition temperature : No data available

Viscosity : No data available

Viscosity, kinematic : No data available

Viscosity, dynamic : No data available VOC content : 0 %

SECTION 10: Stability and reactivity

10.1. Reactivity

Upon combustion: CO and CO2 are formed.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

Refer to section 10.1 on Reactivity.

10.4. Conditions to avoid

No additional information available

10.5. Incompatible materials

Acids.

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity : Not classified

Alkylbenzene Sulfonic Acid (68584-22-5)		
LD50 oral rat	530 mg/kg	
ATE CLP (oral)	530 mg/kg bodyweight	

Sodium Carbonate (497-19-8)		
LD50 oral rat	2800 mg/kg (Rat, Male / female, Experimental value of similar product, Hydrate form, Oral, 14	
	day(s))	
LD50 dermal rabbit	> 2000 mg/kg (16 CFR 1500.40, 24 h, Rabbit, Experimental value of similar product, Hydrate form,	
	Dermal, 14 day(s))	
LC50 Inhalation - Rat	(2 h, Rat, Male, Experimental value)	
ATE CLP (oral)	2800 mg/kg bodyweight	

Sodium Carbonate Peroxide (15630-89-4)	
LD50 oral rat	1034 mg/kg bodyweight (Rat, Male / female, Experimental value, Oral, 14 day(s))
LD50 dermal rabbit	> 2000 mg/kg (Equivalent or similar to EPA OPP 81-2, 24 h, Rabbit, Male / female, Experimental
	value, Dermal, 14 day(s))
ATE CLP (oral)	1034 mg/kg bodyweight

Undeceth-5 (34398-01-1)	
LD50 oral rat	> 1400 mg/kg

Skin corrosion/irritation : Causes skin irritation.
Serious eye damage/irritation : Causes serious eye damage.
Respiratory or skin sensitisation : Not classified

Respiratory of skin sensitisation : Not classified Germ cell mutagenicity : Not classified Carcinogenicity : Not classified Reproductive toxicity : Not classified STOT-single exposure : Not classified

Issue date: 10/16/2023 Revision date: 10/16/2023 Version: 1.1 Z_US GHS SDS 21 Page 4 of 6

Safety Data Sheet

TOTAL SOLUTIONS

STOT-repeated exposure : Not classified

Aspiration hazard : Not classified

Symptoms/effects after inhalation : May cause respiratory irritation.

Symptoms/effects after skin contact : Causes skin irritation.

Symptoms/effects after eye contact : Causes serious eye damage. Corrosion of the eye tissue. Permanent eye damage.

Symptoms/effects after ingestion : Gastrointestinal complaints. Burns to the gastric/intestinal mucosa. Diarrhea. Cramps. Nausea.

SECTION 12: Ecological information

12.1. Toxicity

Sodium Carbonate (497-19-8)	
LC50 - Fish [1]	300 mg/l (96 h, Lepomis macrochirus, Static system, Fresh water, Experimental value, Lethal)
EC50 - Crustacea [1]	200 – 227 mg/l (48 h, Ceriodaphnia sp., Semi-static system, Fresh water, Experimental value,
	Locomotor effect)

Sodium Carbonate Peroxide (15630-89-4)	
LC50 - Fish [1]	70.7 mg/l (US EPA, 48 h, Pimephales promelas, Semi-static system, Fresh water, Experimental
	value)
EC50 - Crustacea [1]	4.9 mg/l (US EPA, 48 h, Daphnia pulex, Semi-static system, Fresh water, Experimental value)

Undeceth-5 (34398-01-1)	
LC50 - Fish [1]	< 10 mg/l
EC50 - Crustacea [1]	< 10 mg/l
ErC50 algae	< 10 mg/l

12.2. Persistence and degradability

Sodium Carbonate (497-19-8)	
Persistence and degradability	Biodegradability: not applicable.
Chemical oxygen demand (COD)	Not applicable (inorganic)
ThOD	Not applicable (inorganic)

Sodium Carbonate Peroxide (15630-89-4)	
Persistence and degradability	Biodegradability: not applicable.
Chemical oxygen demand (COD)	Not applicable (inorganic)
ThOD	Not applicable (inorganic)

12.3. Bioaccumulative potential

Sodium Carbonate (497-19-8)

Bioaccumulative potential

Not bioaccumulative.

Sodium Carbonate Peroxide (15630-89-4)	
Bioaccumulative potential	Not bioaccumulative.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Product/Packaging disposal recommendations

: Dispose in a safe manner in accordance with local/national regulations.

SECTION 14: Transport information

Department of Transportation (DOT)

In accordance with DOT: Not regulated for transport

Additional information

Other information : No supplementary information available.

ADR

No additional information available

Issue date: 10/16/2023 Revision date: 10/16/2023 Version: 1.1 Z US GHS SDS 21 Page 5 of 6

Safety Data Sheet



Transport by sea

No additional information available

Air transport

No additional information available

SECTION 15: Regulatory information

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory.

This product or mixture does not contain a toxic chemical or chemicals in excess of the applicable de minimis concentration as specified in 40 CFR §372.38(a) subject to the reporting requirements of section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372.



This product can expose you to Ethylene oxide, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

SECTION 16: Other information

Training advice : Normal use of this product shall imply use in accordance with the instructions on the packaging.


NFPA health hazard : 2 - Materials that, under emergency conditions, can cause temporary incapacitation or residual

injury.

NFPA fire hazard : 0 - Materials that will not burn under typical fire conditions, including intrinsically noncombustible

materials such as concrete, stone, and sand.

NFPA reactivity : 0 - Material that in themselves are normally stable, even under fire conditions.



Prepared by: Technical Department

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product. No warranty is expressed or implied regarding the accuracy of this data or the results obtained from the use thereof. Our company assumes no responsibility for personal injury or property damage to the vendee, users or third parties caused by the material. Such vendees or users assume all risks associated with the use of this material.

Issue date: 10/16/2023 Revision date: 10/16/2023 Version: 1.1 Z_US GHS SDS 21 Page 6 of 6