

Richco

RICHCO BOCK SANITIZING RINSE

ACTIVE INGREDIENT

Iodine*.....1.6%

INERT INGREDIENTS.....98.4%

TOTAL.....100.00%

*From Butoxy polypropoxy polyethoxy ethanol-iodine complex and Polyethoxy polypropoxy polyethoxy ethanol-iodine complexes

KEEP OUT OF REACH OF CHILDREN
DANGER

EPA REG. NO. 4959-27-881 • EPA EST. 10088-WI-1

NET CONTENTS: ONE GALLON (128 FL. OZ.)

Sold By:

Richardson
CHEMICAL PRODUCTS CO.
414-354-6417

P.O. BOX 240014 • MILWAUKEE, WI 53224-9001

RICHCO® BOCK SANITIZING RINSE

FIRST AID

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes.

Remove contact lenses, if present, after the first 5 minutes. Then continue rinsing. Call a Poison Control Center or doctor for treatment advice.

IF ON SKIN: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a Poison Control Center or doctor for treatment advice.

IF SWALLOWED: Call a Poison Control Center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the Poison Control Center or doctor. Do not give anything to an unconscious person.

IF INHALED: Move person to fresh air. If person is not breathing call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible. Call a Poison Control Center or doctor for treatment advice.

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1-800-424-9300 for emergency treatment.

NOTE TO PHYSICIAN

Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsions may be needed.

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER: Causes eye damage and skin irritation. Do not get in eyes, on skin or clothing. Harmful if swallowed. Wear safety glasses or goggles and rubber gloves when handling. Wash thoroughly with soap and water after handling.

ENVIRONMENTAL HAZARDS:

This product is toxic to fish and aquatic organisms. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other water unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your state Water Board or Regional Office of the EPA.

CHEMICAL HAZARDS: May evolve iodine fumes when heated.

This product is a low-foaming cleaner/sanitizer for use in restaurants and other food handling service institutions. This product may be used to sanitize glasses, dishes and equipment. In addition, it may be used on floors, walls, countertops, refrigerators and food storage areas. This product will not leave streaks or spots on glassware or dishes.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

GLASSES AND DISHES

5 STEP SANITIZING PROCEDURE

- 1) Pre-flush or Pre-scrape equipment and utensils. If needed, pre-soak to remove gross food particles and soil.
- 2) Wash equipment and utensils in lukewarm water that contains an adequate amount of a good detergent or cleaner. Keep this water clean by frequent changing.
- 3) Rinse equipment and utensils free of wash water prior to sanitation.
- 4) Sanitize equipment and utensils by immersing them in a solution of 1 oz this product per 5 gallons of lukewarm water (provides 25ppm titratable iodine). Allow one minute contact time (or longer if required by local sanitation codes.). Change water, as needed, to maintain a minimum of 25ppm iodine, replacing at least once daily. Use approved iodine test kit to check concentration. In mechanical operators, do not reuse solutions. These solutions may be used to clean floors, walls and other areas.
- 5) After sanitizing for one minute or more, allow equipment and utensils to air dry. Do not rinse.

EQUIPMENT SANITIZATION:

Remove gross food particles by pre-flushing or pre-scraping. Before sanitizing, clean equipment with 1 ounce this product to 5 gallons lukewarm water. Rinse with potable water. To sanitize, spray or immerse equipment with a fresh solution of 1 oz this product to 5 gallons cold or lukewarm water (provides 25ppm titratable iodine). Allow a one minute contact time, or longer if required by local sanitation codes. When ready to use, drain sanitizing solution.

STORAGE AND DISPOSAL

STORAGE: Keep container closed when not in use. Do not store below 32°F for above 100°F for extended periods.

PROHIBITIONS: Do not contaminate water, food or feed by storage or disposal. Open dumping is prohibited.

PESTICIDE DISPOSAL: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instruction, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL: Nonrefillable container. Do not reuse or refill this container. Triple rinse container (or equivalent) promptly after emptying.

5 gallon or less containers: Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank and drain for 10 seconds after the flow begins to drip. Fill the container 1/4 full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times.

Capacity greater than 5 gallon containers: Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank. Fill the container 1/4 full with water. Replace and tighten closures. Tip container on its side and roll it back and forth, ensuring at least one complete revolution, for 30 seconds. Stand the container on its end and tip it back and forth several times. Turn the container over onto its other end and tip it back and forth several times. Empty the rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Repeat this procedure two more times. Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or incinerate, or if allowed by State and local authorities, burn container. If burned, stay out of smoke.