Safety Data Sheet



# **SECTION 1: Product and company identification**

Product name : Sani-Sense - QSP200 Wipes

Use of the substance/mixture : Premoistened wipe

Product code : 1504

Company : Total Solutions

P.O. Box 240014

Milwaukee, WI 53224 - USA

T 800-743-6417

athea.com

Contact:Technical Department Chemtrec: 1-800-424-9300

#### **SECTION 2: Hazards identification**

#### 2.1. Classification of the substance or mixture

**GHS-US** classification

**Emergency number** 

Flam. Liq. 3 H226

#### 2.2. Label elements

GHS US labelling

Hazard pictograms (GHS US)



GHS02

Signal word (GHS US) : Warning

Hazard statements (GHS US) : Flammable liquid and vapour.

Precautionary statements (GHS US) : Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Keep container tightly closed.

Use explosion-proof electrical equipment.

Use only non-sparking tools.

Take precautionary measures against static discharge.

Wear protective gloves.

If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

In case of fire: Use dry extinguishing powder, foam, Water spray to extinguish. Dispose of contents/container to Ensure all national/local regulations are observed.

Store in a well-ventilated place. Keep cool.

#### 2.3. Other hazards

No additional information available

# 2.4. Unknown acute toxicity (GHS US)

Not applicable.

## **SECTION 3: Composition/information on ingredients**

# 3.1. Substances

Not applicable

# 3.2. Mixtures

Name	Product identifier	%	GHS-US classification
Isopropanol	(CAS-No.) 67-63-0	7.0 - 13.0	Flam. Liq. 2, H225
			Eye Irrit. 2A, H319
			STOT SE 3, H336

All hazardous chemicals, as determined by 29 CFR 1910.1200 have been listed. A specific chemical identity and/or percentage of composition has been withheld as a trade secret. Any concentration shown as a range is to protect confidentiality or is due to batch variation.

# **SECTION 4: First aid measures**

#### 4.1. Description of first aid measures

First-aid measures general : If you feel unwell, seek medical advice.

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing.

First-aid measures after skin contact : Rinse skin with water/shower. Take off immediately all contaminated clothing.

First-aid measures after eye contact : Rinse eyes with water as a precaution.

Issue date: 3/6/2024 Revision date: 03/05/2024 Version: 2.0 Z\_US GHS SDS 24 Page 1 of 5

# Safety Data Sheet

First-aid measures after ingestion : Call a poison center or a doctor if you feel unwell.

#### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after inhalation : Dust of the product, if present, may cause respiratory irritation after an excessive inhalation exposure.

Although no appropriate human or animal health effects data are known to exist, this material is

expected to be an inhalation hazard.

Symptoms/effects after skin contact : None under normal conditions. Dust may cause irritation in skin folds or by contact in combination with

tight clothing.

Symptoms/effects after eye contact : None under normal conditions. Dust from this product may cause eye irritation.

Symptoms/effects after ingestion : None under normal conditions.

#### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

## **SECTION 5: Firefighting measures**

#### 5.1. Extinguishing media

Suitable extinguishing media : Water spray. Dry powder. Foam. Unsuitable extinguishing media : Do not use a heavy water stream.

#### 5.2. Special hazards arising from the substance or mixture

Fire hazard : Flammable liquid and vapour. Explosion hazard : No direct explosion hazard.

Reactivity : Upon combustion: CO and CO2 are formed. Flammable liquid and vapour.

#### 5.3. Advice for firefighters

Firefighting instructions : Fight fire from safe distance and protected location. Do not enter fire area without proper protective

equipment, including respiratory protection.

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained breathing

apparatus. Complete protective clothing.

#### **SECTION 6: Accidental release measures**

# 6.1. Personal precautions, protective equipment and emergency procedures

General measures : Notify authorities if product enters sewers or public waters. Absorb spillage to prevent material damage.

6.1.1. For non-emergency personnel

Protective equipment : Wear recommended personal protective equipment.

Emergency procedures : Ventilate spillage area. No open flames, no sparks, and no smoking.

6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information refer to

section 8: "Exposure controls/personal protection".

Emergency procedures : Evacuate unnecessary personnel.

# 6.2. Environmental precautions

Avoid release to the environment.

## 6.3. Methods and material for containment and cleaning up

For containment : Using a clean shovel, put the material in a dry container and cover without compressing it.

Methods for cleaning up : Mechanically recover the product. Notify authorities if product enters sewers or public waters.

Other information : Dispose of materials or solid residues at an authorized site.

#### 6.4. Reference to other sections

For further information refer to section 13.

# **SECTION 7: Handling and storage**

## 7.1. Precautions for safe handling

Additional hazards when processed : Not expected to present a significant hazard under anticipated conditions of normal use.

Precautions for safe handling

: Ensure good ventilation of the work station. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Ground/bond container and receiving equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Flammable vapours may accumulate in the container. Use explosion-proof equipment. Wear personal protective equipment.

Hygiene measures : Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

Issue date: 3/6/2024 Revision date: 03/05/2024 Version: 2.0 Z\_US GHS SDS 24 Page 2 of 5

# Safety Data Sheet



#### 7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Ground/bond container and receiving equipment.

Storage conditions : Store in a well-ventilated place. Keep cool. Keep container tightly closed. Packaging materials : Store always product in container of same material as original container.

# **SECTION 8: Exposure controls/personal protection**

#### 8.1. Control parameters

Isopropanol (67-63-0)	nol (67-63-0)		
ACGIH	ACGIH OEL TWA	200 ppm	
ACGIH ACGIH OEL STEL		400 ppm	
ACGIH Remark (ACGIH) T		TLV® Basis: Eye & URT irr; CNS impair. Notations: A4 (Not	
	classifiable as a Human Carcinogen); BEI		
OSHA	OSHA PEL TWA 980 mg/m³		
OSHA	OSHA PEL TWA 400 ppm		

#### 8.2. Exposure controls

Appropriate engineering controls : Ensure good ventilation of the work station.

Personal protective equipment : Use appropriate personal protective equipment when risk assessment indicates this is necessary.

Hand protection : Protective gloves. Eye protection : Safety glasses.

Skin and body protection : Wear suitable protective clothing.

Respiratory protection : In case of insufficient ventilation, wear suitable respiratory equipment.

Environmental exposure controls : Avoid release to the environment.

# **SECTION 9: Physical and chemical properties**

#### 9.1. Information on basic physical and chemical properties

Physical state : Solid

Appearance : Premoistened wipe
Odour : Mild odor
Odour threshold : No data available
pH : No data available
Melting point : No data available
Freezing point : Not applicable
Boiling point : No data available

Flash point : 110 °F Tested using the liquid component of the towelette

Relative evaporation rate (butylacetate=1)

Flammability

Explosive limits

Explosive properties

Cxidising properties

Cxidising properties

Flammability

Explosive properties

Explosive properties

Cxidising properties

Cxidising properties

Flammability

Flamma

Oxidising properties : No data available
Vapour pressure : No data available
Relative density : No data available
Relative vapour density at 20°C : No data available
Density : 1 q/ml Tested usir

Density : 1 g/ml Tested using the liquid component of the towelette

Solubility : Liquid component is soluble in water.

Partition coefficient n-octanol/water (Log Pow)
Partition coefficient n-octanol/water (Log Kow)
Partition coefficient n-octanol/water (Log Kow)
Partition coefficient n-octanol/water (Log Kow)
No data available
No data available
Viscosity
Viscosity, kinematic
Viscosity, dynamic
No data available
No data available
No data available
No data available

VOC content : 3.75 % Tested using the liquid component of the towelette

# **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

Upon combustion: CO and CO2 are formed. Flammable liquid and vapour.

#### 10.2. Chemical stability

Stable under normal conditions.

Issue date: 3/6/2024 Revision date: 03/05/2024 Version: 2.0 Z US GHS SDS 24 Page 3 of 5

# Safety Data Sheet



## 10.3. Possibility of hazardous reactions

Refer to section 10.1 on Reactivity.

#### 10.4. Conditions to avoid

Avoid contact with hot surfaces. Heat. No flames, no sparks. Eliminate all sources of ignition.

#### 10.5. Incompatible materials

No additional information available

#### 10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

## **SECTION 11: Toxicological information**

# 11.1. Information on toxicological effects

Acute toxicity : Not classified

sopropanol (67-63-0)		
LD50 oral rat 5840 mg/kg bodyweight (Equivalent or similar to OECD 401, Rat, Experimental value, O		
	day(s))	
LD50 dermal rabbit	16400 ml/kg (Equivalent or similar to OECD 402, 24 h, Rabbit, Experimental value, Dermal, 14	
	day(s))	
LC50 Inhalation - Rat [ppm]	> 10000 ppm (Equivalent or similar to OECD 403, 6 h, Rat, Male / female, Experimental value,	
	Inhalation (vapours), 14 day(s))	
ATE CLP (oral)	5840 mg/kg bodyweight	
ATE CLP (dermal)	16400000 mg/kg bodyweight	

Skin corrosion/irritation	: Not classified
Serious eye damage/irritation	: Not classified
Respiratory or skin sensitisation	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified

IARC group 3 - Not classifiable

Reproductive toxicity STOT-single exposure	<ul><li>: Not classified</li><li>: Not classified</li></ul>		
STOT-repeated exposure	: Not classified		
Aspiration hazard	: Not classified		

Symptoms/effects after inhalation : Dust of the product, if present, may cause respiratory irritation after an excessive inhalation exposure. Although no appropriate human or animal health effects data are known to exist, this

material is expected to be an inhalation hazard.

Symptoms/effects after skin contact : None under normal conditions. Dust may cause irritation in skin folds or by contact in combination

with tight clothing.

Symptoms/effects after eye contact : None under normal conditions. Dust from this product may cause eye irritation.

Symptoms/effects after ingestion : None under normal conditions.

# **SECTION 12: Ecological information**

۱	2.	1	Т	o	χi	C	it	v

Ecology - general	: The product is not considered harmful to aquatic organisms nor to cause long-term advers	е
	effects in the environment.	

Isopropanol (67-63-0)	
LC50 - Fish [1]	9640 – 10000 mg/l (Equivalent or similar to OECD 203, 96 h, Pimephales promelas, Flow-through
	system, Fresh water, Experimental value, Lethal)
LC50 - Fish [2]	9640 mg/l Test organisms (species): Pimephales promelas

12.2. P	ersistence	and deg	gradability
---------	------------	---------	-------------

Isopropanol (67-63-0)	
Persistence and degradability	Biodegradable in the soil. Biodegradable in the soil under anaerobic conditions. Readily
	biodegradable in water.

Issue date: 3/6/2024 Revision date: 03/05/2024 Version: 2.0 Z\_US GHS SDS 24 Page 4 of 5

# Safety Data Sheet



Biochemical oxygen demand (BOD)	1.19 g O <sub>2</sub> /g substance
Chemical oxygen demand (COD)	2.23 g O <sub>2</sub> /g substance
ThOD	2.4 g O <sub>2</sub> /g substance

#### 12.3. Bioaccumulative potential

Isopropanol (67-63-0)	
BCF - Fish [1]	1015 (BCFBAF v3.01, Estimated value)
Partition coefficient n-octanol/water (Log Pow)	0.05 (Weight of evidence approach, 25 °C)
Bioaccumulative potential	Low potential for bioaccumulation (Log Kow < 4).

# **SECTION 13: Disposal considerations**

# 13.1. Waste treatment methods

Regional waste regulation Disposal must be done according to official regulations.

Waste treatment methods Dispose of contents/container in accordance with licensed collector's sorting instructions.

Sewage disposal recommendations Disposal must be done according to official regulations.

Product/Packaging disposal Comply with applicable regulations for solid waste disposal. Disposal must be done according to recommendations

official regulations.

Additional information Flammable vapours may accumulate in the container. Do not re-use empty containers.

## **SECTION 14: Transport information**

#### **Department of Transportation (DOT)**

In accordance with DOT: Not regulated for transport

#### Additional information

Other information : No supplementary information available.

#### **ADR**

No additional information available

# Transport by sea

No additional information available

# Air transport

No additional information available

# **SECTION 15: Regulatory information**

## 15.1. US Federal regulations

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory

Chemical(s) subject to the reporting requirements of Section 313 or Title III of the Superfund Amendments and Reauthorization Act (SARA) of 1986 and 40 CFR Part 372.

California Proposition 65 - This product does not contain substances known to the state of California to cause cancer and/or reproductive toxicity


#### SECTION 16: Other information

Training advice : Normal use of this product shall imply use in accordance with the instructions on the packaging.

NFPA health hazard 1 - Materials that, under emergency conditions, can cause significant irritation.

NFPA fire hazard 2 - Materials that must be moderately heated or exposed to relatively high ambient

temperatures before ignition can occur. NFPA reactivity 0 - Material that in themselves are normally stable, even under fire conditions.



# Prepared by: Technical Department

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product. No warranty is expressed or implied regarding the accuracy of this data or the results obtained from the use thereof. Our company assumes no responsibility for personal injury or property damage to the vendee, users or third parties caused by the material. Such vendees or users assume all risks associated with the use of this material.

Issue date: 3/6/2024 Revision date: 03/05/2024 Version: 2.0 Z US GHS SDS 24 Page 5 of 5