

Boiler Complete Treat "S"

Safety Data Sheet

SECTION 1: Product and company identification

Product name : Boiler Complete Treat "S"
Use of the substance/mixture : Water treatment
Product code : 1960
Company : Total Solutions
P.O. Box 240014
Milwaukee, WI 53224 -USA
T (414) 354-6417
Emergency number : Chemtrec: (800) 424-9300

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

GHS-US classification

Met. Corr. 1 H290
Skin Irrit. 2 H315
Eye Dam. 1 H318

2.2. Label elements

GHS-US labeling

Hazard pictograms (GHS-US) :



GHS05

Signal word (GHS-US) :

Danger

Hazard statements (GHS-US) :

May be corrosive to metals
Causes skin irritation
Causes serious eye damage

Precautionary statements (GHS-US) :

Keep only in original container.
Wash thoroughly after handling
Wear eye protection, protective clothing, protective gloves.
If on skin: Wash with plenty of soap and water
If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
Immediately call a doctor, a POISON CENTER
Specific treatment (see First aid measures on this label)
If skin irritation occurs: Get medical advice/attention.
Take off contaminated clothing and wash it before reuse.
Absorb spillage to prevent material-damage.
Store in corrosive resistant container with a resistant inner liner.

2.3. Other hazards

No additional information available

2.4. Unknown acute toxicity (GHS US)

Not applicable

SECTION 3: Composition/Information on ingredients

3.1. Substances

Not applicable

Full text of H-phrases: see section 16

3.2. Mixtures

Name	Product identifier	%	GHS-US classification
tetrapotassium pyrophosphate, anhydrous	(CAS-No.) 7320-34-5	1-5	Skin Irrit. 2, H315 Eye Irrit. 2A, H319 STOT SE 3, H335
potassium hydroxide	(CAS-No.) 1310-58-3	1-5	Met. Corr. 1, H290 Acute Tox. 3 (Oral), H301 Skin Corr. 1A, H314

A specific chemical identity and/or percentage of composition has been withheld as a trade secret. Any concentration shown as a range is to protect confidentiality or is due to batch variation.

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general : If you feel unwell, seek medical advice (show the label where possible).

Boiler Complete Treat "S"

Safety Data Sheet



- | | |
|---------------------------------------|--|
| First-aid measures after inhalation | : Remove victim to fresh air and keep at rest in a position comfortable for breathing. |
| First-aid measures after skin contact | : Take off contaminated clothing and wash it before reuse. Wash with water and soap. If skin irritation occurs: Get medical advice/attention. |
| First-aid measures after eye contact | : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center or doctor/physician. |
| First-aid measures after ingestion | : Rinse mouth. Do NOT induce vomiting. Call a POISON CENTER or doctor/physician if you feel unwell. |

4.2. Most important symptoms and effects, both acute and delayed

- | | |
|-------------------------------------|---|
| Symptoms/effects | : Causes skin irritation. Causes serious eye damage. |
| Symptoms/effects after inhalation | : May cause respiratory irritation. |
| Symptoms/effects after skin contact | : Causes skin irritation. |
| Symptoms/effects after eye contact | : Causes serious eye damage. Corrosion of the eye tissue. Permanent eye damage. |
| Symptoms/effects after ingestion | : May be harmful if swallowed. Burns to the gastric/intestinal mucosa. Gastrointestinal complaints. Cramps. |

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

- | | |
|------------------------------|------------------------------------|
| Suitable extinguishing media | : All extinguishing media allowed. |
|------------------------------|------------------------------------|

5.2. Special hazards arising from the substance or mixture

- | | |
|------------|---|
| Reactivity | : Upon combustion: CO and CO2 are formed. |
|------------|---|

5.3. Advice for firefighters

- | | |
|--------------------------------|--|
| Firefighting instructions | : Exercise caution when fighting any chemical fire. Use water spray or fog for cooling exposed containers. Take account of environmentally hazardous firefighting water. |
| Protection during firefighting | : Do not enter fire area without proper protective equipment, including respiratory protection. |

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

- | | |
|------------------|---|
| General measures | : Isolate from fire, if possible, without unnecessary risk. |
|------------------|---|

6.1.1. For non-emergency personnel

- | | |
|----------------------|--|
| Protective equipment | : Protective goggles. Gloves. Protective clothing. |
| Emergency procedures | : Evacuate unnecessary personnel. Avoid contact with skin, eyes and clothing. Ventilate spillage area. |

6.1.2. For emergency responders

- | | |
|----------------------|---|
| Protective equipment | : Equip cleanup crew with proper protection. |
| Emergency procedures | : Stop leak if safe to do so. Stop release. Ventilate area. |

6.2. Environmental precautions

Avoid release to the environment. Prevent soil and water pollution.

6.3. Methods and material for containment and cleaning up

- | | |
|-------------------------|--|
| For containment | : Contain released product, pump into suitable containers. |
| Methods for cleaning up | : This material and its container must be disposed of in a safe way, and as per local legislation. |

6.4. Reference to other sections

No additional information available

SECTION 7: Handling and storage

7.1. Precautions for safe handling

- | | |
|-------------------------------|---|
| Precautions for safe handling | : Comply with the legal requirements. Do not handle until all safety precautions have been read and understood. Use personal protective equipment as required. Do not eat, drink or smoke when using this product. Do not get in eyes, on skin, or on clothing. |
| Hygiene measures | : Wash thoroughly after handling. Wash contaminated clothing before reuse. |

7.2. Conditions for safe storage, including any incompatibilities

- | | |
|------------------------------|--|
| Technical measures | : Comply with applicable regulations. Always add the product to the water for dilution/mixture. Never add water to this product. |
| Storage conditions | : Keep container closed when not in use. |
| Incompatible products | : Acids. |
| Information on mixed storage | : KEEP SUBSTANCE AWAY FROM: (strong) acids. |
| Storage area | : Meet the legal requirements. Store in a dry area. Store in a cool area. |
| Special rules on packaging | : meet the legal requirements. Keep only in original container. |

Boiler Complete Treat "S"

Safety Data Sheet

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

potassium hydroxide (1310-58-3)		
ACGIH	ACGIH Ceiling (mg/m ³)	2 mg/m ³
ACGIH	Remark (ACGIH)	URT, eye, & skin irr

tetrapotassium pyrophosphate, anhydrous (7320-34-5)		
Not applicable		

8.2. Exposure controls

Personal protective equipment : Use appropriate personal protective equipment when risk assessment indicates this is necessary. Gloves. Safety glasses. Protective clothing.



SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Appearance	: clear. brown. Liquid.
Odor	: Mild odor
Odor threshold	: No data available
pH	: 12 – 14
Melting point	: No data available
Freezing point	: No data available
Boiling point	: No data available
Flash point	: > 200 °F Closed Cup
Relative evaporation rate (butyl acetate=1)	: No data available
Flammability (solid, gas)	: No data available
Explosion limits	: No data available
Explosive properties	: No data available
Oxidizing properties	: No data available
Vapor pressure	: No data available
Relative density	: No data available
Relative vapor density at 20 °C	: No data available
Specific gravity / density	: 1.07 g/ml
Solubility	: Soluble in water.
Log Pow	: No data available
Log Kow	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
VOC content	: < 0.5 %

SECTION 10: Stability and reactivity

10.1. Reactivity

Upon combustion: CO and CO₂ are formed.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

Refer to section 10.1 on Reactivity.

10.4. Conditions to avoid

No additional information available

10.5. Incompatible materials

Acids.

Boiler Complete Treat "S"

Safety Data Sheet



10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity : Not classified

potassium hydroxide (1310-58-3)	
LD50 oral rat	273 mg/kg (Rat)
ATE CLP (oral)	273 mg/kg body weight

tetrapotassium pyrophosphate, anhydrous (7320-34-5)	
LD50 dermal rabbit	> 4640 mg/kg (Rabbit)

Skin corrosion/irritation	: Causes skin irritation. pH: 12 - 14
Serious eye damage/irritation	: Causes serious eye damage. pH: 12 - 14
Respiratory or skin sensitization	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
Specific target organ toxicity – single exposure	: Not classified
Specific target organ toxicity – repeated exposure	: Not classified
Aspiration hazard	: Not classified
Symptoms/effects after inhalation	: May cause respiratory irritation.
Symptoms/effects after skin contact	: Causes skin irritation.
Symptoms/effects after eye contact	: Causes serious eye damage. Corrosion of the eye tissue. Permanent eye damage.
Symptoms/effects after ingestion	: May be harmful if swallowed. Burns to the gastric/intestinal mucosa. Gastrointestinal complaints. Cramps.
Likely routes of exposure	: Skin and eye contact

SECTION 12: Ecological information

12.1. Toxicity

potassium hydroxide (1310-58-3)	
LC50 fish 1	80 mg/l (96 h, Gambusia affinis)

tetrapotassium pyrophosphate, anhydrous (7320-34-5)	
LC50 fish 1	> 750 mg/l (48 h, Leuciscus idus)

12.2. Persistence and degradability

potassium hydroxide (1310-58-3)	
Persistence and degradability	Biodegradability: not applicable.
Biochemical oxygen demand (BOD)	Not applicable
Chemical oxygen demand (COD)	Not applicable
ThOD	Not applicable
BOD (% of ThOD)	Not applicable

tetrapotassium pyrophosphate, anhydrous (7320-34-5)	
Persistence and degradability	Biodegradability: not applicable.
Biochemical oxygen demand (BOD)	Not applicable
Chemical oxygen demand (COD)	Not applicable
ThOD	Not applicable
BOD (% of ThOD)	Not applicable

12.3. Bioaccumulative potential

potassium hydroxide (1310-58-3)	
Bioaccumulative potential	Not bioaccumulative.

Boiler Complete Treat "S"

Safety Data Sheet

tetrapotassium pyrophosphate, anhydrous (7320-34-5)

Bioaccumulative potential

Bioaccumulation: not applicable.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Product/Packaging disposal recommendations : Dispose in a safe manner in accordance with local/national regulations.

SECTION 14: Transport information

Department of Transportation (DOT)

Transport document description : UN3266 Corrosive liquid, basic, inorganic, n.o.s. (Potassium Hydroxide), 8, II
UN-No.(DOT) : UN3266
Proper Shipping Name (DOT) : Corrosive liquid, basic, inorganic, n.o.s.
Class (DOT) : 8 - Class 8 - Corrosive material 49 CFR 173.136
Hazard labels (DOT) : 8 - Corrosive



Packing group (DOT) : II - Medium Danger
DOT Packaging Non Bulk (49 CFR 173.xxx) : 202
DOT Packaging Bulk (49 CFR 173.xxx) : 242
DOT Symbols : G - Identifies PSN requiring a technical name
DOT Special Provisions (49 CFR 172.102) : B2,IB2,T11,TP2,TP27
DOT Packaging Exceptions (49 CFR 173.xxx) : 154
DOT Quantity Limitations Passenger aircraft/rail (49 CFR 173.27) : 1 L
DOT Quantity Limitations Cargo aircraft only (49 CFR 175.75) : 30 L
DOT Vessel Stowage Location : B
DOT Vessel Stowage Other : 40 - Stow "clear of living quarters", 52 - Stow "separated from" acids

Additional information

Other information : When transported by ground, this product may be eligible to be shipped as a Limited Quantity or Consumer Commodity ORM-D utilizing the exception found at 49 CFR 173.154. If any alteration of packaging, product, or mode of transportation is further intended, different shipping names and labeling may be required.

ADR

No additional information available

Transport by sea

No additional information available

Air transport

No additional information available

SECTION 15: Regulatory information

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory

This product or mixture does not contain a toxic chemical or chemicals in excess of the applicable de minimis concentration as specified in 40 CFR §372.38(a) subject to the reporting requirements of section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372.

potassium hydroxide (1310-58-3)

Not subject to reporting requirements of the United States SARA Section 313

CERCLA RQ

1000 lb

WARNING

This product can expose you to acrylamide, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

Boiler Complete Treat "S"

Safety Data Sheet



SECTION 16: Other information

Training advice : Normal use of this product shall imply use in accordance with the instructions on the packaging.


Full text of H-phrases:

H290	May be corrosive to metals
H301	Toxic if swallowed
H314	Causes severe skin burns and eye damage
H315	Causes skin irritation
H319	Causes serious eye irritation
H335	May cause respiratory irritation

NFPA health hazard : 2 - Materials that, under emergency conditions, can cause temporary incapacitation or residual injury.

NFPA fire hazard : 0 - Materials that will not burn under typical fire conditions, including intrinsically noncombustible materials such as concrete, stone, and sand.

NFPA reactivity : 0 - Material that in themselves are normally stable, even under fire conditions.



Prepared by: Technical Department

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product. No warranty is expressed or implied regarding the accuracy of this data or the results obtained from the use thereof. Our company assumes no responsibility for personal injury or property damage to the vendee, users or third parties caused by the material. Such vendees or users assume all risks associated with the use of this material.