Safety Data Sheet



SECTION 1: Product and company identification

Product name	: All-Purpose Spray Cleaner
Use of the substance/mixture	: Cleaner
Product code	: 8305
Company	: Total Solutions P.O. Box 240014 Milwaukee, WI 53224 - USA T (414) 354-6417
Emergency number	: Chemtec: (800) 424-9300

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification (GHS-US)

Flam. Aerosol 1 H222 Eye Irrit. 2A H319 Full text of H-phrases: see section 16

2.2. Label elements	
GHS-US labeling	
Hazard pictograms (GHS-US)	GHS02 GHS07
Signal word (GHS-US)	Danger
Hazard statements (GHS-US)	Extremely flammable aerosol Causes serious eye irritation
Precautionary statements (GHS-US)	 Keep away from heat, hot surfaces, open flames, sparks No smoking Do not spray on an open flame or other ignition source Pressurized container: Do not pierce or burn, even after use Wash thoroughly after handling Wear eye protection, face protection If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing If eye irritation persists: Get medical advice/attention Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F

2.3. Other hazards

No additional information available

2.4. Unknown acute toxicity (GHS US) Not applicable

SECTION 3: Composition/information on ingredients

3.1. Substance

Not applicable

Full text of H-phrases: see section 16

3.2.	Mixture	
Nar	ne	

Name	Product identifier	%	Classification (GHS-US)
butane	(CAS No) 106-97-8	2.5 - 10	Flam. Gas 1, H220 Compressed gas, H280
2-(2-butoxyethoxy)ethanol, diethylene glycol monobutyl ether	(CAS No) 112-34-5	2.5 - 10	Eye Irrit. 2A, H319
Alcohol Ethoxylate	(CAS No) 68439-46-3	1 - 2.5	Acute Tox. 4 (Oral), H302 Skin Irrit. 2, H315 Eye Irrit. 2A, H319
propane	(CAS No) 74-98-6	1 - 2.5	Flam. Gas 1, H220 Compressed gas, H280

All-Purpose Spray Cleaner Safety Data Sheet

TOTAL SOLUTIONS

SECTION 4: First aid measures		
4.1. Description of first aid measures		
First-aid measures general	 If you feel unwell, seek medical advice (show the label where possible). Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. 	
First-aid measures after inhalation	 If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical advice/attention if you feel unwell. 	
First-aid measures after skin contact	 Take off immediately all contaminated clothing and wash it before reuse. Rinse skin with water/shower. If skin irritation occurs: Get medical advice/attention. 	
First-aid measures after eye contact	: Rinse immediately with plenty of water for 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center or doctor/physician.	
First-aid measures after ingestion	: Rinse mouth with water.	
4.2. Most important symptoms and e	cts, both acute and delayed	
Symptoms/injuries	: Causes serious eye irritation.	
Symptoms/injuries after inhalation	: None under normal use.	
Symptoms/injuries after skin contact	: Contact during a long period may cause light irritation.	
Symptoms/injuries after eye contact	: Causes serious eve irritation.	
Symptoms/injuries after ingestion	: Gastrointestinal complaints.	
	al attention and special treatment needed	
Treat symptomatically. Keep watching the	victim. Symptoms may be delayed.	
SECTION 5: Firefighting measu	s	
5.1. Extinguishing media		
Suitable extinguishing media	: Water fog. Carbon dioxide.	
Unsuitable extinguishing media	: Do not use a water jet since it may cause the fire to spread.	
5.2. Special hazards arising from the	bstance or mixture	
Fire hazard	: Combustion produces irritating gases. Extremely flammable aerosol.	
Explosion hazard	: Contents under pressure. Pressurized container: may burst if heated.	
Reactivity	: The product is non-reactive under normal conditions of use, storage and transport.	
5.3. Advice for firefighters		
Firefighting instructions	: Exercise caution when fighting any chemical fire. Move containers away from the fire area if this can be done without risk. Use water spray or fog for cooling exposed containers. For massive fire in	n

	cargo area, use unmanned hose holder or monitor nozzles, if possible. If not, withdraw and let fire burn out. In case of fire and/or explosion do not breathe fumes.
Protection during firefighting	: Do not enter fire area without proper protective equipment, including respiratory protection.
SECTION 6: Accidental relea	ase measures
6.1. Personal precautions, prote	ctive equipment and emergency procedures
General measures	: No flames, No sparks. Eliminate all sources of ignition. Evacuate unnecessary personnel. Stay upwind/keep distance from source. Gas is denser than air. May accumulate in low areas e.g. close to the ground.
6.1.1. For non-emergency perso	nnel
Protective equipment	: Do not enter without an appropriate protective equipment.
Emergency procedures	 Avoid contact with skin, eyes and clothing. Evacuate unnecessary personnel. Keep upwind. Ventilate spillage area. DO NOT touch spilled material. Do not breathe gas. Advice local authorities if considered necessary.

6.1.2. For emergency responders		
Protective equipment	:	Equip cleanup crew with proper protection.
Emergency procedures	:	Stop leak if safe to do so. Stop release. Ventilate area.

6.2. Environmental precautions

6.3. Methods and material for cont	ainment and cleaning up
For containment	: Contain released substance, pump into suitable containers. Keep combustibles (wood, paper, oil, etc.) away from spilled material. Move the cylinder to a safe and open area if the leak is irreparable.
Methods for cleaning up : This material and its container must be disposed of in a safe way, and as per local legislation. Following product recovery, flush area with water.	
6.4. Reference to other sections	
No additional information available	

Safety Data Sheet

SECTION 7: Handling and storage



bildricht / mananing and broth	
7.1. Precautions for safe handling	
Additional hazards when processed	 Pressurized container: Do not pierce or burn, even after use. Do not use if spray button is missing or defective.
Precautions for safe handling	: Comply with the legal requirements. Do not handle until all safety precautions have been read and understood. Use personal protective equipment as required. Do not eat, drink or smoke when using this product. Do not get in eyes, on skin, or on clothing. Do not spray on a naked flame or any incandescent material. Do not cut, weld, solder, drill, grind, or expose containers to heat, flame, sparks, or other sources of ignition. Ground/bond container and receiving equipment. Do not re-use empty containers. Use only outdoors or in a well-ventilated area. Observe normal hygiene standards.
Hygiene measures	: Wash thoroughly after handling. Wash contaminated clothing before reuse.
7.2. Conditions for safe storage, inclu	ling any incompatibilities
Technical measures	: Comply with applicable regulations. Pressurized container. Do not puncture, incinerate or crush. Take precautionary measures against static discharge.
Storage conditions	 Keep container closed when not in use. Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F. Refrigerate.
Incompatible products	: Strong oxidizing agents.
Incompatible materials	: Heat sources. Open flame.
Storage area	: Meet the legal requirements. Store in a cool area. Store in a dry area.
Special rules on packaging	: meet the legal requirements.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

butane (106-97-8)			
ACGIH	ACGIH TWA (ppm)	1000 ppm	
ACGIH	ACGIH STEL (ppm)	1000 ppm	
2-(2-butoxyethoxy)ethanol, diethylene glycol monobutyl ether (112-34-5)			
ACGIH ACGIH TWA (ppm) 10		10 ppm	
propane (74-98-6)			
ACGIH	ACGIH TWA (ppm)	1000 ppm	
OSHA	OSHA PEL (TWA) (ppm)	1000 ppm	

8.2. Exposure controls

Appropriate engineering controls

: Ensure good ventilation of the work station. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure.

Personal protective equipment

 Use appropriate personal protective equipment when risk assessment indicates this is necessary. Gloves. Safety glasses. Protective clothing.



:

- : Chemical goggles or safety glasses.
- : If permissible levels are exceeded use NIOSH mechanical filter / organic vapor cartridge or an airsupplied respirator.

Thermal hazard protection Consumer exposure controls

Hand protection

Respiratory protection

Eye protection

- : Use appropriate personal protective equipment when risk assessment indicates this is necessary.
- : When using do not smoke. Use good personal hygiene practices. Wash hands and other exposed areas with mild soap and water before eat, drink or smoke and when leaving work. Take off contaminated clothing and wash before reuse.

SECTION 9: Physical and chemi	ical properties
9.1. Information on basic physical an	nd chemical properties
Physical state	: Liquid
Appearance	: Cloudy. Aerosol. Colorless to pale yellow liquid.
Odor	: mint-like

Safety Data Sheet

Odor threshold	: No data available
рН	: 10.3 - 11.3 Estimated
Melting point	: No data available
Freezing point	: No data available
Boiling point	: 212 °F Estimated
Flash point	: -156 °F Propellant estimated
Relative evaporation rate (butyl acetate=1)	: No data available
Flammability (solid, gas)	: No data available
Explosion limits	: No data available
Explosive properties	: No data available
Oxidizing properties	: No data available
Vapor pressure	: No data available
Relative density	: No data available
Relative vapor density at 20 °C	: No data available
Specific gravity / density	: 0.958 - 1.058 g/ml estimated
Solubility	: No data available
Log Pow	: No data available
Log Kow	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions Hazardous polymerization does not occur.

10.4. Conditions to avoid

Heat. Aerosol containers are unstable at temperatures above 49°C. Avoid temperatures exceeding the flash point. . No flames, No sparks. Eliminate all sources of ignition.

10.5. Incompatible materials

Strong oxidizing agents.

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity

: Not classified

Alcohol Ethoxylate (68439-46-3)	
LD50 oral rat	1400 mg/kg Estimated
LD50 dermal rabbit	> 5000 mg/kg
ATE CLP (oral)	1400.000 mg/kg body weight
Skin corrosion/irritation	: Not classified
	pH: 10.3 - 11.3 Estimated
Serious eye damage/irritation	: Causes serious eye irritation.
	pH: 10.3 - 11.3 Estimated
Respiratory or skin sensitization	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified



All-Purpose Spray C Safety Data Sheet	Cleaner TOTAL SOLUTIONS
Reproductive toxicity	: Not classified
Specific target organ toxicity (single expos	sure) : Not classified
Specific target organ toxicity (repeated exposure)	: Not classified
Aspiration hazard	: Not classified
Symptoms/injuries after inhalation	: None under normal use.
Symptoms/injuries after skin contact	: Contact during a long period may cause light irritation.
Symptoms/injuries after eye contact	: Causes serious eye irritation.
Symptoms/injuries after ingestion	: Gastrointestinal complaints.
SECTION 12: Ecological informat	tion
12.1. Toxicity	
No additional information available	
12.2. Persistence and degradability No additional information available	
12.3. Bioaccumulative potential No additional information available	
SECTION 13: Disposal considera	tions
13.1. Waste treatment methods	
Waste treatment methods	 Collect and reclaim or dispose in sealed containers at licensed waste disposal site Contents under pressure. Do not puncture, incinerate or crush. Dispose of contents/container to comply with local/regional/national regulations.
Waste disposal recommendations	: Dispose in a safe manner in accordance with local/national regulations.
Additional information	: Handle unclean empty containers as full ones. This material and its container must be disposed of in a safe manner. Do not re-use empty containers.
SECTION 14: Transport informa	tion
Department of Transportation (DOT)	
Transport document description	: UN1950 Aerosols (flammable, (each not exceeding 1 L capacity)), 2.1
UN-No.(DOT)	: UN1950
Proper Shipping Name (DOT)	: Aerosols
	flammable, (each not exceeding 1 L capacity)
Transport hazard class(es) (DOT)	: 2.1 - Class 2.1 - Flammable gas 49 CFR 173.115
Hazard labels (DOT)	: 2.1 - Flammable gas



DOT Packaging Non Bulk (49 CFR 173.xxx)	: None
DOT Packaging Bulk (49 CFR 173.xxx)	: None
DOT Special Provisions (49 CFR 172.102)	: N82
DOT Packaging Exceptions (49 CFR 173.xxx)	: 306
DOT Quantity Limitations Passenger aircraft/rail (49 CFR 173.27)	: 75 kg
DOT Quantity Limitations Cargo aircraft only (49 CFR 175.75)	: 150 kg
DOT Vessel Stowage Location	: A
DOT Vessel Stowage Other	: 25 - Shade from radiant heat,87 - Stow "separated from" Class 1 (explosives) except Division 14,126 - Segregation same as for Class 9, miscellaneous hazardous materials
Additional information	
Other information	: This product may be eligible to be shipped as a Limited Quantity or Consumer Commodity ORM-D utilizing the exception found at 49 CFR 173.306.

No additional information available

Safety Data Sheet



Transport by sea	
UN-No. (IMDG)	: UN1950
Proper Shipping Name (IMDG)	: Aerosols
Class (IMDG)	: 2.1 - Flammable gases
Air transport	
UN-No.(IĀTA)	: UN1950
Proper Shipping Name (IATA)	: Aerosols, flammable
Class (IATA)	: 2.1 - Gases : Flammable

SECTION 15: Regulatory information

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory.

This product or mixture does not contain a toxic chemical or chemicals in excess of the applicable de minimis concentration as specified in 40 CFR §372.38(a) subject to the reporting requirements of section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372.

butane (106-97-8)				
Not listed on SARA Section 313 (Specific toxic chemical listings)				
propane (74-98-6)				
Not listed on SARA Section 313 (Specific toxic chemical listings)				

California Proposition 65 - This product does not contain substances known to the state of California to cause cancer and/or reproductive toxicity.

SECTION 16: Other informati	on	
Training advice	:	Normal use of this product shall imply use in accordance with the instructions on the packaging.

Full text of H-phrases:

Acute Tox. 4 (Oral)	Acute toxicity (oral) Category 4
Compressed gas	Gases under pressure Compressed gas
Eye Irrit. 2A	Serious eye damage/eye irritation Category 2A
Flam. Aerosol 1	Flammable aerosol Category 1
Flam. Gas 1	Flammable gases Category 1
Skin Irrit. 2	Skin corrosion/irritation Category 2
H220	Extremely flammable gas
H222	Extremely flammable aerosol
H280	Contains gas under pressure; may explode if heated
H302	Harmful if swallowed
H315	Causes skin irritation
H319	Causes serious eye irritation

NFPA health hazard	:	1 - Exposure could cause irritation but only minor residual injury even if no treatment is given.	
NFPA fire hazard	:	2 - Must be moderately heated or exposed to relatively high temperature before ignition can occur.	
NFPA reactivity	:	0 - Normally stable, even under fire exposure conditions, and are not reactive with water.	1



Prepared by: Technical Department

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product. No warranty is expressed or implied regarding the accuracy of this data or the results obtained from the use thereof. Our company assumes no responsibility for personal injury or property damage to the vendee, users or third parties caused by the material. Such vendees or users assume all risks associated with the use of this material.